

<b>Policy Name</b>	Clinical Policy – External Ocular Photography
<b>Policy Number</b>	1338.00
<b>Department</b>	Clinical Product & Development
<b>Subcategory</b>	Medical Management
<b>Original Approval Date</b>	10/18/2019
<b>Current MPC/CCO Approval Date</b>	07/10/2024
<b>Current Effective Date</b>	09/01/2024

**Company Entities Supported (Select All that Apply):**

- ☒ Superior Vision Benefit Management
  - ☒ Superior Vision Services
  - ☒ Superior Vision of New Jersey, Inc.
  - ☒ Block Vision of Texas, Inc. d/b/a Superior Vision of Texas
  - ☒ Davis Vision
- (Collectively referred to as 'Versant Health' or 'the Company')

**ACRONYMS and DEFINITIONS**

n/a

**PURPOSE**

To provide the medical necessity criteria to support the indication(s) for external ocular photography. Applicable procedure codes are also defined.

**POLICY**
**A. Background**

External ocular photography is photography of the eyelids and related orbital and adnexal structures, conjunctival, cornea, iris, chamber angle and related anterior segment structures. It may be performed by various techniques including handheld digital photography and slit lamp-mounted cameras. Photography is medically necessary when the picture captures a level of detail not possible in a text description in the medical record when the written information is determinative to a specific diagnosis, therapy, and clinical management.

## **B. Medical Necessity**

The medical necessity for any diagnostic testing, including external ocular photography, begins with pertinent signs, symptoms, or medical history of a condition for which the examining physician needs further information.

1. External ocular photography is ordered and performed when the information garnered from the eye exam is insufficient to assess the patient's disease.
2. External ocular photography is covered as an adjunct to evaluation and management of a known disease.

## **C. Not Medically Necessary**

External ocular photography may not be considered medically necessary to:

1. Enhance the medical record that is described by a text or drawing description of the lesion
2. Document lesions that the practitioner should recognize as benign
3. Document lesions that the practitioner should recognize as stable
4. Document lesions where there is no evidence of progression
5. Document baseline level of a healthy eye
6. Document findings of a screening evaluation
7. Document lesions where the status does not result in change in therapy.
8. Document repeated external photography where the findings do not result in a change in therapy or diagnosis.

## **D. Documentation Requirements**

Adequate and complete documentation in the beneficiary's medical record includes the procedure and the medical rationale for it. Documentation includes (at a minimum) all the following items. If a subsequent medical review audit is necessary, these items are expected to be available, including photographs or digital images. For all retrospective reviews, the full operative report and or the medical plan of care is required.

Every page of the record must be legible and include appropriate patient identification information (e.g., complete name, date(s) of service). Services provided/ordered must be authenticated by the author. The method used shall be handwritten or electronic signature. Stamped signatures are not acceptable. External ocular photography requires "interpretation and report" which includes:

1. Physician's order for with medical rationale
2. Date performed
3. Adequacy of the image obtained to make a medical determination
4. Findings
5. If this a repeat procedure, a comparison with previous image

6. Assessment and Diagnosis
7. Impact of this procedure on treatment, prognosis and/or diagnosis
8. Only bill ocular photography after the interpretation and report is complete.

#### **E. Procedural Detail**

92285	External ocular photography with interpretation and report for documentation of medical progress (e.g., close-up photography, slit lamp photography, gonio photography, stereophotography)
-------	--

#### **DISCLAIMER and COPYRIGHTS**

This clinical policy is provided for information purposes only and does not constitute medical advice. Versant Health, Inc., and its affiliates (the “Company”) do not provide health care services and cannot guarantee any results or outcomes. Treating doctors are solely responsible for determining what services or treatments to provide to their patients. Patients (members) should always consult their doctor before making any decisions about medical care.

Subject to applicable law, compliance with this clinical policy is not a guarantee of coverage or payment. Coverage is based on the terms of an individual’s particular benefit plan document, which may not cover the service(s) or procedure(s) addressed in this clinical policy. The terms of the individual’s specific benefit plan are always determinative.

Every effort has been made to ensure that the information in this clinical policy is accurate and complete, however the Company does not guarantee that there are no errors in this policy or that the display of this file on a website is without error. The company and its employees are not liable for any errors, omissions, or other inaccuracies in the information, product, or processes disclosed herein. Neither the Company nor the employees represent that use of such information, products, or processes will infringe on privately owned rights. In no event shall the Company be liable for direct, indirect, special, incidental, or consequential damages arising out of the use of such information, product, or process.

**COMPANY’S COPYRIGHT STATEMENT** Except for any copyrights described below, this clinical policy is confidential and proprietary, and no part of this clinical policy may be copied, distributed or used without Versant Health, or its applicable affiliates express prior written approval.

**AMA COPYRIGHT STATEMENT** CPT© 2002-2024 is the copyright of the American Medical Association. All Rights Reserved. CPT™ is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

RELATED POLICIES	
1331	Fundus Photography

DOCUMENT HISTORY		
Approval Date	Revision	Effective Date
10/18/2019	Initial policy	01/01/2020
08/19/2020	Annual review; no CPT changes; few diagnoses code changes.	12/01/2020
07/07/2021	Policy opened to all valid, eye related medical diagnoses codes.	10/01/2021
07/06/2022	Annual review; no criteria changes.	08/01/2022
07/12/2023	Annual review; no criteria changes.	09/01/2023
07/10/2024	Annual review; no criteria changes.	09/01/2024

REFERENCES AND SOURCES
------------------------

1. Fogla R, Rao SK. Ophthalmic photography using a digital camera. *Indian J Ophthalmol*. 2003;51(3):269-272.
2. Jager MJ, Shields CL, Cebulla CM, et al. Uveal melanoma. *Nat Rev Dis Primers*. 2020 Apr 9;6(1):24. doi: 10.1038/s41572-020-0158-0. Erratum in: *Nat Rev Dis Primers*. 2022 Jan 17;8(1):4. PMID: 32273508.
3. Jalil M, Ferenczy SR, Shields CL. iPhone 4s and iPhone 5s Imaging of the Eye. *Ocul Oncol Pathol*. 2017;3(1):49-55. doi:10.1159/000448721.
4. Kalra G, Ichhpujani P, Thakur S, Singh RB, Sharma U, Kumar S. A pilot study for smartphone photography to assess bleb morphology and vasculature post-trabeculectomy. *Int Ophthalmol*. 2021 Feb;41(2):483-490. doi: 10.1007/s10792-020-01598-9. Epub 2020 Oct 13. PMID: 33051769; PMCID: PMC7553381.
5. Nair AG, Santhanam A. Clinical Photography for Periorbital and Facial Aesthetic Practice. *J Cutan Aesthet Surg*. 2016;9(2):115-121. doi:10.4103/0974-2077.184047.
6. Pimm J, Bagenal J, Lee N. Clinical Pictures in The Lancet: a good eye for detail. *Lancet*. 2018 Apr 7;391(10128):1339-1340. doi: 10.1016/S0140-6736(18)30567-1. PMID: 29636260.
7. Saine PJ. Tutorial: External ocular photography. *J Ophthalmic Photography*. 2006; 28(1):8-20. Shah M, Lee G, Lefebvre DR, et al. A cross-sectional survey of the association between

- bilateral topical prostaglandin analogue use and ocular adnexal features. *PLoS One*. 2013;8(5): e61638. Published 2013 May 1. doi: 10.1371/journal.pone.0061638.
8. Solyman O, Ahmad M, Arora K, Henderson AD, Carey A. Stereoscopic three-dimensional (3D) slit-lamp photography using a compact 3D digital camera. *Indian J Ophthalmol*. 2021 May;69(5):1303-1305. doi: 10.4103/ijo.IJO\_2037\_20. PMID: 33913883; PMCID: PMC8186585.

## SOURCES

1. CMS Ocular Photography External, LCD L34393. <https://www.cms.gov/medicare-coverage-database/view/lcd.aspx?lcdid=34393&ver=21&>. Accessed 4/2024.
2. CMS article A57068. <https://www.cms.gov/medicare-coverage-database/view/article.aspx?articleId=57068&ver=13>. Accessed 6/2024.
3. Rules for external ocular photography. June 2017. *Review of Ophthalmology*. <https://www.reviewofophthalmology.com/article/rules-for-external-ocular-photography> Accessed 4/2024.