

<b>Policy Name</b>	Clinical Policy – Eye Exams
<b>Policy Number</b>	1316.00
<b>Department</b>	Clinical Strategy
<b>Subcategory</b>	Medical Management
<b>Original Approval Date</b>	02/06/2018
<b>Previous Approval Date</b>	10/29/2020
<b>Current MPC/CCO Approval Date</b>	04/09/2025
<b>Current Effective Date</b>	06/01/2025

**Company Entities Supported (Select All that Apply)**

☒ Superior Vision Benefit Management  
☒ Superior Vision Services  
☒ Superior Vision of New Jersey, Inc.  
☒ Block Vision of Texas, Inc. d/b/a Superior Vision of Texas  
☒ Davis Vision  
 (Collectively referred to as 'Versant Health' or 'the Company')

**ACRONYMS or DEFINITIONS**

n/a

**PURPOSE**

To provide criteria to support the indication(s) for routine and medical eye exams. Applicable procedure codes are also defined.

**POLICY**
**A. Background**

Eye exams are divided into two groups:

1. Medical – the eye exam is performed for the diagnosis and/or treatment of disease or injury or to improve the eye's function.
2. Routine and Vision (Refractive) – the eye exam is performed to screen for disease in an otherwise healthy patient without history of eye disease or visual complaints and to address ametropias and provide corrective lenses if necessary. If follow-up evaluation and management is needed due to a detected medical condition, the subsequent visit

and treatment is classified as a medical exam and is generally described by the evaluation and management code set.

## **B. Medical Necessity**

The medical necessity of an eye exam may be determined from the patient's chief complaint and the corresponding diagnosis. The stated reason for the appointment is not necessarily the purpose of the eye exam. Additional diagnoses, if any, are relevant for determining the level of service but do not change the purpose of the eye exam.

The frequency of ocular examinations should be based on the presence of visual abnormalities and the probability of visual abnormalities developing. Individuals who have ocular symptoms require prompt examinations. Individuals who do not have symptoms but who are at elevated risk of developing ocular abnormalities related to systemic diseases, such as diabetes mellitus and hypertension or who have a family history of eye disease, require periodic comprehensive eye examinations to prevent or minimize visual loss. Adults who have no symptoms, and who are at minimal risk, should receive an initial comprehensive eye examination and follow a schedule of periodic assessment designed to detect ocular disease.

## **C. Documentation**

Medical necessity is supported by adequate and complete documentation in the patient's medical record that describes the procedure and the medical rationale for it and, at a minimum, the following items. If a subsequent medical review audit is necessary, these items are expected to be available. For any retrospective review, a full operative report and/or plan of care is needed.

Every page of the record must be legible and include appropriate patient identification information (e.g., complete name, date(s) of service). Services provided/ordered must be authenticated by the author. The method used shall be handwritten or electronic signature. Stamped signatures are not acceptable

The required documentation for eye exams include the following:

1. Chief complaint and history: The clinical notes and charted history reflect the nature of the presenting problem(s) and generate the differential diagnosis process.
2. The ocular examination and notes will include some or all the following elements depending upon the patient's complaint and condition:
  - a. Visual acuity (VA)
  - b. Confrontation visual field (CVF)
  - c. Ocular motility (EOMs)
  - d. Adnexa and eyelids
  - e. Conjunctiva
  - f. Cornea
  - g. Anterior chamber
  - h. Pupils

- i. Iris
- j. Lens
- k. Intraocular pressure (IOP)
- l. Fundus (discs, retina, macula, vessels, vitreous) including mydriasis, as indicated.
- m. Mental status
- n. Impression and plan for treatment or additional services

#### **D. Procedural Detail**

1. CPT (Current Procedural Terminology) defines codes 92004 and 92014 as “*one or more visits.*” These procedure codes describe a single service that need not be performed in one session. It is possible to bridge a comprehensive exam over more than one session in a day (morning and afternoon) or more than one day. For bridged visits, one claim plus the medical record would reflect the fact that the exam extended over time. The span of time should be short, usually no more than a day or two, and billed when the service is completed. Bridged exams do not apply to E/M services or intermediate eye exams.
2. E/M codes 92002 – 92014 are on both the medical and routine exam lists. The diagnosis code determines whether the exam is medical or routine.
3. The screening exam (99173) is a component of both medical and routine/vision exams and is never a standalone service when performed by an ophthalmologist or optometrist.

#### **E. CPT Codes for Routine and Medical Exams**

<b>Routine refractive exams</b>	
92002	Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; intermediate, new patient
92004	Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; comprehensive, new patient, 1 or more visits
92012	Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; intermediate, established patient
92014	Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; comprehensive, established patient, 1 or more visits
G0466	Federally qualified health center (FQHC) visit, new patient (for Medicare primary plans only)
G0467	Federally qualified health center (FQHC) visit, established patient (for Medicare primary plans only)
S0620	Routine ophthalmological examination including refraction; new patient
S0621	Routine ophthalmological examination including refraction; established patient

T1015	Clinic visit/encounter, all-inclusive for FQHC use
-------	--

<b>Medical exams</b>	
92002	Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; intermediate, new patient
92004	Ophthalmological services: medical examination and evaluation with initiation of diagnostic and treatment program; comprehensive, new patient, 1 or more visits
92012	Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; intermediate, established patient
92014	Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; comprehensive, established patient, 1 or more visits
99202	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straight forward medical decision making. When using time for code selection, 15 minutes total time met or exceeded is spent on the date of the encounter.
99203	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 30 minutes total time met or exceeded is spent on the date of the encounter.
99204	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 45minutes total time met or exceeded is spent on the date of the encounter.
99205	Office or other outpatient visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 60minutes total time met or exceeded is spent on the date of the encounter.
99211	Office or other outpatient visit for the evaluation and management of an established patient, which may not require a physician or other qualified health care professional. Usually, the presenting problem(s) are minimal.
99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 10 minutes total time met or exceeded is spent on the date of the encounter.

99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 20 minutes total time met or exceeded is spent on the date of the encounter.
99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 30 minutes total time met or exceeded is spent on the date of the encounter.
99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 40 minutes total time met or exceeded is spent on the date of the encounter.
99221	Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . problem(s) requiring admission are of low severity. Typically, 30 minutes are spent at the bedside and on the patient's hospital floor or unit.
99222	Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . problem(s) requiring admission are of moderate severity. Typically, 50 minutes are spent at the bedside and on the patient's hospital floor or unit.
99223	Initial hospital care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . problem(s) requiring admission are of high severity. Typically, 70 minutes are spent at the bedside and on the patient's hospital floor or unit.
99231	Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . the patient is stable, recovering or improving. Typically, 15 minutes are spent at the bedside and on the patient's hospital floor or unit.
99232	Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient is responding inadequately to therapy or has developed a minor complication. Typically, 25 minutes are spent at the bedside and on the patient's hospital floor or unit.
99233	Subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient is unstable or has developed a significant complication or a significant new problem. Typically, 35 minutes are spent at the bedside and on the patient's hospital floor or unit.
99281	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components . . . presenting problem(s) are self-limited or minor.
99282	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components . . . the presenting problem(s) are of low to moderate severity.

99283	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components . . . the presenting problem(s) are of moderate severity.
99284	Emergency department visit for the evaluation and management of patient, which requires these 3 key components . . . presenting problem(s) are of high severity, and require urgent evaluation by the physician, or other qualified health care professionals but do not pose an immediate significant threat to life or physiologic function.
99285	Emergency department visit for the evaluation and management of a patient, which requires these 3 key components . . . Usually, the presenting problem(s) are of high severity and pose an immediate significant threat to life or physiologic function.
99304	Initial nursing facility care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . Usually, the problem(s) requiring admission are of low severity. Typically, 25 minutes are spent at the bedside and on the patient's facility floor or unit.
99305	Initial nursing facility care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . the problem(s) requiring admission are of moderate severity. Typically, 35 minutes are spent at the bedside and on the patient's facility floor or unit.
99306	Initial nursing facility care, per day, for the evaluation and management of a patient, which requires these 3 key components . . . the problem(s) requiring admission are of high severity. Typically, 45 minutes are spent at the bedside and on the patient's facility floor or unit.
99307	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient is stable, recovering, or improving. Typically, 10 minutes are spent at the bedside and on the patient's facility floor or unit.
99308	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient is responding inadequately to therapy or has developed a minor complication. Typically, 15 minutes are spent at the bedside and on the patient's facility floor or unit.
99309	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient has developed a significant complication or a significant new problem. Typically, 25 minutes are spent at the bedside and on the patient's facility floor or unit.
99310	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components . . . patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Typically, 35 minutes are spent at the bedside and on the patient's facility floor or unit.
99324	Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of low severity. Typically, 20 minutes are spent with the patient and/or family or caregiver.

99325	Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of moderate severity. Typically, 30 minutes are spent with the patient and/or family or caregiver.
99326	Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent with the patient and/or family or caregiver.
99327	Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of high severity. Typically, 60 minutes are spent with the patient and/or family or caregiver.
99328	Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components . . . patient is unstable or has developed a significant new problem requiring immediate physician attention. Typically, 75 minutes are spent with the patient and/or family or caregiver.
99334	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are self-limited or minor. Typically, 15 minutes are spent with the patient and/or family or caregiver.
99335	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are of low to moderate severity. Typically, 25 minutes are spent with the patient and/or family or caregiver.
99336	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are of moderate to high severity. Typically, 40 minutes are spent with the patient and/or family or caregiver.
99337	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are of moderate to high severity. The patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Typically, 60 minutes are spent with the patient and/or family or caregiver.
99341	Home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of low severity. Typically, 20 minutes are spent face-to-face with the patient and/or family.
99342	Home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of moderate severity. Typically, 30 minutes are spent face-to-face with the patient and/or family.
99343	Home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of moderate to high severity. Typically, 45 minutes are spent face-to-face with the patient and/or family.



99344	Home visit for the evaluation and management of a new patient, which requires these 3 key components . . . presenting problem(s) are of high severity. Typically, 60 minutes are spent face-to-face with the patient and/or family.
99345	Home visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history . . . patient is unstable or has developed a significant new problem requiring immediate physician attention. Typically, 75 minutes are spent face-to-face with the patient and/or family.
99347	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are self-limited or minor. Typically, 15 minutes are spent face-to-face with the patient and/or family.
99348	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are of low to moderate severity. Typically, 25 minutes are spent face-to-face with the patient and/or family.
99349	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . presenting problem(s) are moderate to high severity. Typically, 40 minutes are spent face-to-face with the patient and/or family.
99350	Home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components . . . patient may be unstable or may have developed a significant new problem requiring immediate physician attention. Typically, 60 minutes are spent face-to-face with the patient and/or family.
G0466	Federally qualified health center (FQHC) visit, new patient (only allowed to be used with Medicare as primary).
G0467	Federally qualified health center (FQHC) visit, established patient (only allowed to be used with Medicare as primary)
T1015	Clinic visit/encounter, all-inclusive for FQHC use

#### **DISCLAIMER and COPYRIGHTS**

This policy is provided for information purposes only and does not constitute medical advice. Versant Health, Inc., and its affiliates (the “Company”) do not provide health care services and cannot guarantee any results or outcomes. Treating doctors are solely responsible for determining what services or treatments to provide to their patients. Patients should always consult their doctor before making any decisions about medical care.

Subject to applicable law, compliance with this clinical policy is not a guarantee of coverage or payment. Coverage is based on the terms of an individual’s particular benefit plan document, which may not cover the service(s) or procedure(s) addressed in this clinical policy. The individual’s specific benefit plan is always determinative.



Every effort has been made to ensure that the information in this clinical policy is accurate and the Company does not guarantee that there are no errors in this policy or that the display of this file on a website is without error. The company and its employees are not liable for any errors, omissions, or other inaccuracies in the information, product, or processes disclosed herein.

Neither the Company nor the employees represent that use of such information, products, or processes that will infringe on privately owned rights. In no event shall the Company be liable for direct, indirect, special, incidental, or consequential damages arising out of the use of such information, product, or process.

**COMPANY'S COPYRIGHT STATEMENT** Except for any copyrights described below, this clinical policy is confidential and proprietary, and no part of this clinical policy may be copied, distributed or used without Versant Health, or its applicable affiliates, express prior written approval.

**AMA COPYRIGHT STATEMENT** CPT® is the 2002-2025 copyright of the American Medical Association. All Rights Reserved. CPT™ is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

RELATED POLICIES	
1336	Telemedicine

DOCUMENT HISTORY		
<i>Approval Date</i>	<i>Revision</i>	<i>Effective Date</i>
02/06/2018	Initial Policy	02/06/2018
12/12/2018	Revision with technical /administrative amendments	12/12/2018
03/13/2019	Updated references	03/13/2019
12/18/2019	Updated format: expanded eye exam E/M and diagnosis codes and categorized into routine and medical. No criteria change.	01/01/2020
10/29/2020	Annual review; no criteria changes.	03/01/2021
04/07/2021	Removed CMS deleted code 99201	07/01/2021
7/11/2021	Added explicit exclusion of screening exam as a billable service on same day as a routine or medical eye exam.	11/01/2021
04/06/2022	Annual review; no criteria changes.	05/01/2022
04/12/2023	Annual review; no criteria changes.	06/01/2023

04/03/2024	Clarified that routine vs. medical status of an eye exam is determined by the patient's chief complaint; clarified that fundus exam is included in eye exam when indicated and is not a required component.	06/01/2024
04/09/2025	Annual review; no criteria changes.	06/01/2025

## REFERENCES AND SOURCES

1. Alabdulkader B. Effect of digital device use during COVID-19 on digital eye strain. *Clin Exp Optom.* 2021 Aug;104(6):698-704. doi: 10.1080/08164622.2021.1878843. Epub 2021 Feb 22. PMID: 33689614.
2. Alatawi A, Alali N, Alamrani A, et al. Amblyopia and Routine Eye Exam in Children: Parent's Perspective. *Children (Basel).* 2021 Oct 18;8(10):935. doi: 10.3390/children8100935. PMID: 34682200; PMCID: PMC8535128.
3. Chen SP, Bhattacharya J, Pershing S. Association of Vision Loss with Cognition in Older Adults. *JAMA Ophthalmol.* 2017;135(9):963–970. doi:10.1001/jamaophthalmol.2017.2838.
4. Conlin PR, Asefzadeh B, Pasquale LR, et al. Accuracy of a technology-assisted eye exam in evaluation of referable diabetic retinopathy and concomitant ocular diseases. *Br J Ophthalmol.* 2015 Dec;99(12):1622-7. doi: 10.1136/bjophthalmol-2014-306536. Epub 2015 May 20. PMID: 25995299.
5. Chen E, Mills M, Gallagher T, et al. (The Macustat Study Group). Remote patient monitoring of central retinal function with MACUSTAT®: A multi-modal macular function scan. *Digit Health.* 2022 Oct 17; 8:20552076221132105. doi: 10.1177/20552076221132105. PMID: 36276185; PMCID: PMC9580074.
6. Eppley SE, Mansberger SL, Ramanathan S, et al. Characteristics Associated with Adherence to Annual Dilated Eye Examinations among US Patients with Diagnosed Diabetes. *Ophthalmology.* 2019;126(11):1492-1499. doi: 10.1016/j.ophtha.2019.05.033.
7. Fong A, Scoulios N, Blumenthal HJ, et al. Using Machine Learning to Capture Quality Metrics from Natural Language: A Case Study of Diabetic Eye Exams. *Methods Inf Med.* 2021 Sep;60(3-04):110-115. doi: 10.1055/s-0041-1736311. Epub 2021 Oct 1. PMID: 34598298.
8. Hark LA, Horowitz JD, Gorroochurn P, et al. Manhattan Vision Screening and Follow-up Study (NYC-SIGHT): Baseline Results and Costs of a Cluster-Randomized Trial. *Am J Ophthalmol.* 2023 Jul; 251:12-23. doi: 10.1016/j.ajo.2023.01.019. Epub 2023 Jan 21. PMID: 36690289; PMCID: PMC10257220.
9. Land MR, Patel PA, Bui T, et al. Examining the Role of Telemedicine in Diabetic Retinopathy. *J Clin Med.* 2023 May 18;12(10):3537. doi: 10.3390/jcm12103537. PMID: 37240642; PMCID: PMC10219248.
10. Williams AM, Sahel JA. Addressing Social Determinants of Vision Health. *Ophthalmol Ther.* 2022;11(4):1371-1382. doi:10.1007/s40123-022-00531-w.
11. Martin EF. Performing pediatric eye exams in primary care. *Nurse Pract.* 2017;42(8):41-47. doi: 10.1097/01.NPR.0000520791.94940.7e.
12. Schumacher AC, Ball ML, Arnold AW, et al. Oculocardiac Reflex During ROP Exams. *Clin Ophthalmol.* 2020 Dec 4; 14:4263-4269. doi: 10.2147/OPHTH.S288043. PMID: 33324032; PMCID: PMC7732975.

13. Shah R, Amador C, Tormanen K, et al. Systemic diseases and the cornea. *Exp Eye Res.* 2021 Mar; 204:108455. doi: 10.1016/j.exer.2021.108455. Epub 2021 Jan 21. PMID: 33485845; PMCID: PMC7946758.
14. Williams AM, Sahel JA. Addressing Social Determinants of Vision Health. *Ophthalmol Ther.* 2022;11(4):1371-1382. doi:10.1007/s40123-022-00531-w.
15. Wolf RM, Channa R, Liu TYA, et al. Autonomous artificial intelligence increases screening and follow-up for diabetic retinopathy in youth: the ACCESS randomized control trial. *Nat Commun.* 2024;15(1):421. Published 2024 Jan 11. doi:10.1038/s41467-023-44676-z.

## SOURCES

1. AAPC Chief Complaint is a Must Have. <https://www.aapc.com/blog/42585-chief-complaint-required/>. Accessed 2/2025.
2. Atlantic Eye Institute, frequency of eye exams. <https://atlanticeyeinstitute.com/how-often-should-you-get-an-eye-exam/>. Accessed 2/2025.
3. American Academy of Ophthalmology, Adult Eye Evaluations Preferred Practice Pattern 2020. <https://www.aao.org/education/preferred-practice-pattern/comprehensive-adult-medical-eye-evaluation-ppp> . <https://www.aao.org/education/preferred-practice-pattern/pediatric-eye-evaluations-ppp-2022> Accessed 2/2025.
4. American Academy of Ophthalmology, Pediatric Eye Evaluations Preferred Practice Pattern 2022. <https://www.aao.org/education/preferred-practice-pattern/pediatric-eye-evaluations-ppp-2022>. Accessed 2/2025.
5. Comprehensive Adult Eye and Vision Examination-Evidence Based Clinical Practice Guideline, 1<sup>st</sup> edition, American Optometric Association, 2015. <https://www.aoa.org/AOA/Documents/Practice%20Management/Clinical%20Guidelines/EBO%20Guidelines/Comprehensive%20Adult%20Eye%20and%20Vision%20Exam.pdf>. Accessed 2/2025.
6. Comprehensive Pediatric Eye and Vision Examination-Evidence Based Clinical Practice Guideline-American Optometric Association 2017. <https://www.aao.org/eye-health/tips-prevention/eye-exams-101>. Accessed 2/2025.
7. Medical Billers and Coders.com Why Refraction should be billed separately. <https://www.medicalbillersandcoders.com/articles/best-billing-and-coding-practices/Optomety-Billing-Why-Refraction-Should-Be-Billed-Separately.html> . Accessed 2/2025.