

Policy Name	Clinical Policy – Laser Trabeculoplasty
Policy Number	1308.00
Department	Clinical Product & Strategy
Subcategory	Medical Management
Original Approval Date	01/25/2018
Current MPC/CCO Approval Date	07/12/2023
Current Effective Date	01/01/2024

Company Entities Supported (Select All that Apply) <input checked="" type="checkbox"/> Superior Vision Benefit Management <input checked="" type="checkbox"/> Superior Vision Services <input checked="" type="checkbox"/> Superior Vision of New Jersey, Inc. <input checked="" type="checkbox"/> Block Vision of Texas, Inc. d/b/a Superior Vision of Texas <input checked="" type="checkbox"/> Davis Vision (Collectively referred to as 'Versant Health' or 'the Company')

ACRONYMS	
ALT	Argon laser trabeculoplasty
DLT	Diode laser trabeculoplasty
IOC/IOP	Intraocular/intraocular pressure
SLT	Selective laser trabeculoplasty
PAS	Peripheral anterior synechiae
POAG	Primary open-angle glaucoma

PURPOSE

To provide the medical necessity criteria to support the indication(s) for laser trabeculoplasty. Applicable procedure codes are also defined.

POLICY

A. BACKGROUND

Laser trabeculoplasty lowers intraocular pressure by facilitating aqueous outflow. It can be used as initial therapy in the treatment of open angle glaucoma. There are several types of lasers used for laser trabeculoplasty: argon laser trabeculoplasty (ALT), non-Q switched ND: YAG, selective laser trabeculoplasty (SLT), and the diode laser trabeculoplasty (DLT). This policy applies to all technologies of laser trabeculoplasty.

B. Medically Necessary

Laser trabeculoplasty may be medically necessary to achieve the optimal intraocular target pressure range in patients with:

1. Primary open angle glaucoma (POAG), pigmentary glaucoma and pseudoexfoliation glaucoma¹;

Or

2. Open angles², plus high-risk borderline findings, and sociogenic risk factors as follows:

- a. Vertical cup disk 0.8 or greater; and,
- b. Corneal thickness less than or equal to 555 microns; and,
- c. Intra ocular pressure of 24 mmHG or greater³; and,
- d. African, Asian, Hispanic/Latino, or Native Hawaiian and Pacific Islander ethnicities;
or,
- e. Family history of glaucoma; or,
- f. Age 45 years or more.

Or

3. The patient as defined in 1 or 2 above plus is at high risk for nonadherence to glaucoma medical therapy, e.g., a patient who cannot tolerate medications, or is unable to consistently administer medications, or is unable to reliably instill the medications, or cannot afford the medications.
4. Unless medically contraindicated, laser trabeculoplasty is performed on 360 degrees of trabecular meshwork, in one or more sessions, as determined by the doctor.
5. Laser trabeculoplasty performed on 360 degrees of trabecular meshwork greater than once annually will need to meet the above criteria and have documentation showing successful previous treatment.

C. Documentation

Medical necessity must be supported by adequate and complete documentation in the patient's medical record that describes the procedure and the medical rationale for it as in requirements above. All medical record items must be available upon request to initiate or sustain previous payments. Retrospective reviews require the full operative report and the medical care plan.

Every page of the record must be legible and include appropriate patient identification information (e.g., complete name, date(s) of service). Services provided/ordered must be authenticated by the physician, in a handwritten or electronic signature. Stamped signatures are not acceptable.

¹ NICE, 2022

² NICE, 2022

³ Gazzard, 2018.

1. Eye examination with description of medical justification for laser trabeculoplasty, assessment of optimal range of target intra-ocular pressure and absence of contraindications for the surgery.
2. Documentation of open-angle glaucoma findings including applanation tonometry, visual fields, optic nerve head photography and optical coherence tomography
3. Allied diagnostic testing with physician's order, medical rational, findings, interpretation, and report.
4. Detailed operative report that incorporates:
 - a. Indications
 - b. Procedure description including duration, energy, and number of applications.

D. Procedural Detail

CPT Code	
65855	Trabeculoplasty by laser surgery
Required Modifiers	
RT	Right side
LT	Left side
50	Bilateral procedure
Invalid Modifiers	
22	Increased Procedural Services
25	Significant, separately identifiable E&M service by same provider on the same day of a procedure or other service. Used for minor surgeries with 0- or 10-day global periods.
57	Decision for surgery same day or within 24 hours before the surgery.
95	Telemedicine
26	Professional component
TC	Technical component
E1-E4	Upper left, upper right, lower left, or lower right eyelid

DISCLAIMER and COPYRIGHTS

This policy is provided for information purposes only and does not constitute medical advice. Versant Health, Inc., and its affiliates (the "Company") do not provide health care services and cannot guarantee any results or outcomes. Treating doctors are solely responsible for determining what services or treatments to provide to their patients. Patients (members) should always consult their doctor before making any decisions about medical care.

Subject to applicable law, compliance with this clinical policy is not a guarantee of coverage or payment. Coverage is based on the terms of an individual's particular benefit plan document, which may not include the service(s) or procedure(s) addressed in this clinical policy. The terms

of the individual’s specific benefit plan are always determinative. Every effort has been made to ensure that the information in this clinical policy is accurate and complete, however the Company does not guarantee that there are no errors in this policy or that the display of this file on a website is without error. The company and its employees are not liable for any errors, omissions, or other inaccuracies in the information, product, or processes disclosed herein. Neither the company nor the employees represent that use of such information, products, or processes will infringe on privately owned rights. In no event shall the Company be liable for direct, indirect, special, incidental, or consequential damages arising out of the use of such information, product, or process.

COMPANY’S COPYRIGHT STATEMENT

Except for any copyrights described below, this clinical policy is confidential and proprietary, and no part of this clinical policy may be copied without Versant Health or its applicable affiliates expressing prior written approval.

AMA COPYRIGHT STATEMENT

CPT© 2002-2023 is the copyright of the American Medical Association. All Rights Reserved. CPT™ is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

RELATED POLICIES AND PROCEDURES	
1322	Laser Peripheral Iridotomy
1326	Retinal Photocoagulation
1327	Glaucoma Surgery

DOCUMENT HISTORY		
<i>Approval Date</i>	<i>Revision</i>	<i>Effective Date</i>
01/25/2018	Initial Policy	01/25/2018
02/19/2020	Annual review; no criteria changes.	06/01/2020
01/06/2021	Clarified goal of procedure: achieve target intraocular pressure . . . primary open angle glaucoma (POAG). Specified absence of glaucoma, “including ocular hypertension and pre-glaucoma.”	04/01/2021
10/06/2021	Defined requirement of elevated risk characteristics. Restated criteria for medical necessity with defined measures.	04/01/2022
07/06/2022	Annual review; no criteria changes.	10/01/2022
07/12/2023	Added indications of medication intolerance, changed repeatability of treatment per calendar year, added sociogenic risks for age and ethnicity.	01/01/2024

REFERENCES

1. Abramowitz B, Chadha N, Kouchouk A, et al. Selective laser trabeculoplasty vs micropulse laser trabeculoplasty in open-angle glaucoma. *Clin Ophthalmol*. 2018 Aug 30; 12:1599-1604. doi: 10.2147/OPTH.S167102. PMID: 30214144; PMCID: PMC6124459.
2. AGIS Investigators. The Advanced Glaucoma Intervention study (AGIS): 7. The relationship between control of intraocular pressure and visual field deterioration. *Am J Ophthalmol* 2000; 130:429-440.
3. AlObaida I, Aljasim LA. Selective laser trabeculoplasty in patients with angle recession glaucoma: A small case series. *Am J Ophthalmol Case Rep*. 2020 Jul 29; 19:100835. doi: 10.1016/j.ajoc.2020.100835. PMID: 32775767; PMCID: PMC7397400.
4. Alaghband P, Galvis EA, Daas A, et al. Predictors of selective laser trabeculoplasty success in open angle glaucoma or ocular hypertension: does baseline tonography have a predictive role? *Br J Ophthalmol*. 2020 Oct;104(10):1390-1393. doi: 10.1136/bjophthalmol-2019-315489. Epub 2020 Jan 27. PMID: 31988075.
5. Barke M, Dhoot R, Feldman R. Pediatric Glaucoma: Diagnosis, Management, Treatment. *Int Ophthalmol Clin*. 2022 Jan 1;62(1):95-109. doi: 10.1097/IIO.0000000000000401. PMID: 34965229.
6. Belitsky Y, Škiljić D, Zetterberg M, et al. Evaluation of selective laser trabeculoplasty as an intraocular pressure lowering option. *Acta Ophthalmol*. 2019 Nov;97(7):707-713. doi: 10.1111/aos.14067. Epub 2019 Feb 27. PMID: 30809975.
7. Bliedtner K, Seifert E, Brinkmann R. Towards Automatically Controlled Dosing for Selective Laser Trabeculoplasty. *Transl Vis Sci Technol*. 2019 Dec 2;8(6):24. doi: 10.1167/tvst.8.6.24. PMID: 31807369; PMCID: PMC6890396.
8. Chang TC, Parrish RK, Fujino D, et al. Factors Associated with Favorable Laser Trabeculoplasty Response: IRIS Registry Analysis. *Am J Ophthalmol*. 2021 Mar; 223:149-158. doi: 10.1016/j.ajo.2020.10.004. Epub 2020 Oct 10. PMID: 33049242; PMCID: PMC7979431.
9. Chi SC, Kang YN, Hwang DK, et al. Selective laser trabeculoplasty versus medication for open-angle glaucoma: systematic review and meta-analysis of randomised clinical trials. *Br J Ophthalmol*. 2020 Nov;104(11):1500-1507. doi: 10.1136/bjophthalmol-2019-315613. Epub 2020 Feb 12. PMID: 32051136.
10. Cui YK, Pan L, Lam T, et.al. Mechanistic links between systemic hypertension and open angle glaucoma. *Clin Exp Optom*. 2022 May;105(4):362-371. doi: 10.1080/08164622.2021.1964332. Epub 2021 Aug 17. PMID: 34402761.
11. De Keyser M, De Belder M, De Belder J, et.al. Selective laser trabeculoplasty as replacement therapy in medically controlled glaucoma patients. *Acta Ophthalmol*. 2018 Aug;96(5):e577-e581. doi: 10.1111/aos.13509. Epub 2017 Jun 21. PMID: 2863618.
12. Evidence reviews for selective laser trabeculoplasty in ocular hypertension or chronic open-angle glaucoma adult patients: Glaucoma: diagnosis and management: Evidence review A. London: National Institute for Health and Care Excellence (NICE); 2022 Jan. PMID: 35438884. Garg A, Gazzard G. Correction: Selective laser trabeculoplasty: past, present, and future. *Eye (Lond)*. 2020 Aug;34(8):1487. doi: 10.1038/s41433-019-0623-8. Erratum for: *Eye (Lond)*. 2018 May;32(5):863-876. PMID: 31645671; PMCID: PMC7471436.
13. Garg A, Vickerstaff V, Nathwani N, et.al; Laser in Glaucoma and Ocular Hypertension Trial Study Group. Efficacy of Repeat Selective Laser Trabeculoplasty in Medication-Naive Open-Angle Glaucoma and Ocular Hypertension during the LiGHT Trial. *Ophthalmology*. 2020 Apr;127(4):467-476. doi: 10.1016/j.ophtha.2019.10.023. Epub 2019 Oct 30. PMID: 32005561.

14. Garg A, Vickerstaff V, Nathwani N, et.al; Laser in Glaucoma and Ocular Hypertension Trial Study Group. Primary Selective Laser Trabeculoplasty for Open-Angle Glaucoma and Ocular Hypertension: Clinical Outcomes, Predictors of Success, and Safety from the Laser in Glaucoma and Ocular Hypertension Trial. *Ophthalmology*. 2019 Sep;126(9):1238-1248. doi: 10.1016/j.ophtha.2019.04.012. Epub 2019 Apr 25. PMID: 31028768.
15. Gazzard G, Konstantakopoulou E, Garway-Heath D, et.al; LiGHT Trial Study Group. Laser in Glaucoma and Ocular Hypertension (LiGHT) trial. A multicentre, randomised controlled trial: design and methodology. *Br J Ophthalmol*. 2018 May;102(5):593-598. doi: 10.1136/bjophthalmol-2017-310877. Epub 2017 Sep 13. Erratum in: *Br J Ophthalmol*. 2021 Feb;105(2):e1. PMID: 28903966.
16. Gazzard G, Konstantakopoulou E, Garway-Heath D, et.al; LiGHT Trial Study Group. Selective laser trabeculoplasty versus eye drops for first-line treatment of ocular hypertension and glaucoma (LiGHT): a multicentre randomised controlled trial. *Lancet*. 2019 Apr 13;393(10180):1505-1516. doi: 10.1016/S0140-6736(18)32213-X. Epub 2019 Mar 9. Erratum in: *Lancet*. 2019 Jul 6;394(10192): e1. PMID: 30862377; PMCID: PMC6495367.
17. Hutnik C, Crichton A, Ford B, et.al. Selective Laser Trabeculoplasty versus Argon Laser Trabeculoplasty in Glaucoma Patients Treated Previously with 360° Selective Laser Trabeculoplasty: A Randomized, Single-Blind, Equivalence Clinical Trial. *Ophthalmology*. 2019 Feb;126(2):223-232. doi: 10.1016/j.ophtha.2018.09.037. Epub 2018 Sep 29. PMID: 30278197.
18. Jones L, Konstantakopoulou E, Gazzard G. Selective laser trabeculoplasty (SLT) performed by optometrists for patients with glaucoma and ocular hypertension: a scoping review protocol. *BMJ Open Ophthalmol*. 2020 May 25;5(1): e000438. doi: 10.1136/bmjophth-2020-000438. PMID: 32509963; PMCID: PMC7252989.
19. Kass MA, Heuer DK, Higginbotham EJ, et al. The Ocular Hypertension Treatment Study: a randomized trial determines that topical ocular hypotensive medication delays or prevents the onset of primary open-angle glaucoma. *Arch Ophthalmol* 2002; 120:701–713.
20. Katz JL, Steinmann WC, Kabir A, et.al., Selective Laser Trabeculoplasty versus Medical Therapy as initial Treatment of Glaucoma: A prospective, Randomized Trial, *J Glaucoma* 2012;21:460-468.
21. Kennedy, JB, SooHoo, JR, Kahook, MY, et.al. Selective Laser Trabeculoplasty: An Update. *Asia-Pacific journal of ophthalmology (Philadelphia, Pa.)*, 5(1), 63–69; 2016.
22. Kent SS, Hutnik CM, Birt CM, et.al. A randomized clinical trial of selective laser trabeculoplasty versus argon laser trabeculoplasty in patients with pseudoexfoliation. *J Glaucoma*. 2015 Jun-Jul;24(5):344-7. doi: 10.1097/IJG.0b013e31829e55e4. PMID: 23835670.
23. Khawaja AP, Campbell JH, Kirby N, et.al. UK Glaucoma Real-World Data Consortium. Real-World Outcomes of Selective Laser Trabeculoplasty in the United Kingdom. *Ophthalmology*. 2020 Jun;127(6):748-757. doi: 10.1016/j.ophtha.2019.11.017. Epub 2019 Nov 26. PMID: 31952882.
24. Kim JH, Rabiolo A, Morales E, et al. Risk factors for fast visual field progression in glaucoma. *Am J Ophthalmol* 2019; 207:268-278.
25. Koenig LR, Kovacs KD, Gupta MP, et.al. Hypopyon following selective laser trabeculoplasty. *Am J Ophthalmol Case Rep*. 2020 Mar 20; 18:100675. doi: 10.1016/j.ajoc.2020.100675. PMID: 32322746; PMCID: PMC7163075.
26. Konstantakopoulou E, Gazzard G, Vickerstaff V, et.al; LiGHT Trial Study Group. The Laser in Glaucoma and Ocular Hypertension (LiGHT) trial. A multicentre randomised controlled trial: baseline patient characteristics. *Br J Ophthalmol*. 2018 May;102(5):599-603. doi: 10.1136/bjophthalmol-2017-310870. Epub 2017 Oct 5. PMID: 28982956.
27. Kuley B, Zheng CX, Zhang QE, et.al. Predictors of Success in Selective Laser Trabeculoplasty. *Ophthalmol Glaucoma*. 2020 Mar-Apr;3(2):97-102. doi: 10.1016/j.ogla.2019.11.010. Epub 2019 Nov 30. PMID: 32672601.

28. Landers J. Selective laser trabeculoplasty: A review. *Clin Exp Ophthalmol*. 2021 Jul 30. doi: 10.1111/ceo.13979. Epub ahead of print. PMID: 34331388.
29. Lee EY, Farrokhyar F, Sogbesan E. Laser Trabeculoplasty Perceptions and Practice Patterns of Canadian Ophthalmologists. *J Curr Glaucoma Pract*. 2020 Sep-Dec;14(3):81-86. doi: 10.5005/jp-journals-10078-1283. PMID: 33867755; PMCID: PMC8028031.
30. Liu D, Chen D, Tan Q, et al. Outcome of Selective Laser Trabeculoplasty in Young Patients with Primary Open-Angle Glaucoma and Ocular Hypertension. *J Ophthalmol*. 2020 Jun 9; 2020:5742832. doi: 10.1155/2020/5742832. PMID: 32587760; PMCID: PMC7301184.
31. Lusthaus J, Goldberg I. Current management of glaucoma. *Med J Aust*. 2019 Mar;210(4):180-187. doi: 10.5694/mja2.50020. Epub 2019 Feb 14. PMID: 30767238.
32. Maier AB, Arani P, Pahlitzsch M, et al. Influence of Selective Laser Trabeculoplasty (SLT) on the iStent inject® outcomes. *BMC Ophthalmol*. 2020 Nov 19;20(1):457. doi: 10.1186/s12886-020-01723-3. PMID: 33213403; PMCID: PMC7678109.
33. Makri OE, Pallikari A, Pagoulatos D, et al. Micropulse laser trabeculoplasty on pseudexfoliation glaucoma patients under topical prostaglandin analogue monotherapy: 1-year results. *Graefes Arch Clin Exp Ophthalmol*. 2019 Feb;257(2):349-355. doi: 10.1007/s00417-018-4195-2. Epub 2018 Nov 28. PMID: 30488265.
34. Makri OE, Plotas P, Christopoulou E, et al. Effect of a single session of micropulse laser trabeculoplasty on corneal endothelial parameters. *Clin Exp Optom*. 2020 Jul;103(4):479-483. doi: 10.1111/cxo.12968. Epub 2019 Oct 16. PMID: 31618800.
35. Mansouri K, Shaarawy T. Comparing pattern scanning laser trabeculoplasty to selective laser trabeculoplasty: A randomized controlled trial. *Acta Ophthalmol*. 2017 Aug;95(5): e361-e365. doi: 10.1111/aos.13280. Epub 2016 Oct 25. PMID: 27778483.
36. Marshall LL, Hayslett RL, Stevens GA. Therapy for Open-Angle Glaucoma. *Consult Pharm*. 2018 Aug 1;33(8):432-445. doi: 10.4140/TCP.n.2018.432. PMID: 30068436.
37. Morse AR, Lee PP. Comparative effectiveness: insights on treatment options for open-angle glaucoma. *Arch Ophthalmol*. 2012; 130(4):506–507.
38. NICE© National Institute for Health and Care Excellence. Glaucoma diagnosis and management. NICE guideline NGHI. <https://www.nice.org.uk/guidance/ng81>. Accessed 7/2023.
39. Paiva ACM, da Fonseca AS. Could adverse effects and complications of selective laser trabeculoplasty be decreased by low-power laser therapy? *Int Ophthalmol*. 2019 Jan;39(1):243-257. doi: 10.1007/s10792-017-0775-0. Epub 2017 Nov 30. PMID: 29189945.
40. Polat J., Grantham L., Mitchel K., et. al., Repeatability of selective laser trabeculoplasty, *Br J Ophthal*, 2016; 100:1437-1441.
41. Rasmuson E, Bengtsson B, Lindén C, et al. Laser trabeculoplasty in newly diagnosed multi-treated glaucoma patients. *Acta Ophthalmol*. 2021 May;99(3):269-274. doi: 10.1111/aos.14576. Epub 2020 Oct 29. PMID: 33124189.
42. Seider MI, Keenan JD, Han Y, Cost of Selective Laser Trabeculoplasty vs Topical Medications for Glaucoma, *Arch Ophthal*, 130(4) April 2012, 529-530.
43. Soboka JG, Giorgis AT, Alemu AM, et al. Efficacy and Safety of Selective Laser Trabeculoplasty among Ethiopian Glaucoma Patients. *J Ophthalmol*. 2020 Sep 16; 2020:7620706. doi: 10.1155/2020/7620706. PMID: 33014442; PMCID: PMC7519175.
44. Stein JD, Khawaja AP, Weizer JS. Glaucoma in Adults-Screening, Diagnosis, and Management: A Review. *JAMA*. 2021 Jan 12;325(2):164-174. doi: 10.1001/jama.2020.21899. PMID: 33433580.
45. Sun KT, Shen TC, Chen SC, et al. Periodontitis and the subsequent risk of glaucoma: results from the real-world practice. *Sci Rep*. 2020 Oct 16;10(1):17568. doi: 10.1038/s41598-020-74589-6. PMID: 33067540; PMCID: PMC7568564.
46. Tawfique K, Khademi P, Quérat L, et al. Comparison between 90-degree and 360-degree selective laser trabeculoplasty (SLT): A 2-year follow-up. *Acta Ophthalmol*. 2019 Jun;97(4):427-429. doi: 10.1111/aos.13949. Epub 2018 Oct 15. PMID: 30318741.

47. Töteberg-Harms M, Meier-Gibbons F. Is laser trabeculoplasty the new star in glaucoma treatment? *Curr Opin Ophthalmol*. 2021 Mar 1;32(2):141-147. doi: 10.1097/ICU.0000000000000732. PMID: 33470670.
48. Wang H, Cheng JW, Wei RL, et al. Meta-analysis of selective laser trabeculoplasty with argon laser trabeculoplasty in the treatment of open-angle glaucoma. *Can J Ophthalmol*. 2013 Jun;48(3):186-92. doi: 10.1016/j.jcjo.2013.01.001. PMID: 23769780.
49. Wang P, Akkach S, Andrew NH, et al. Selective Laser Trabeculoplasty: Outcomes of Multiple Repeat Treatments. *Ophthalmol Glaucoma*. 2021 Jan 9: S2589-4196(21)00001-6. doi: 10.1016/j.ogla.2020.12.013. Epub ahead of print. PMID: 33429110.
50. Wong MO, Lee JW, Choy BN, et al. Systematic review and meta-analysis on the efficacy of selective laser trabeculoplasty in open-angle glaucoma. *Surv Ophthalmol*. 2015 Jan-Feb;60(1):36-50. doi: 10.1016/j.survophthal.2014.06.006. Epub 2014 Jul 2. PMID: 25113610.
51. Wong MOM, Lai IS, Chan PP, et al. Efficacy and safety of selective laser trabeculoplasty and pattern scanning laser trabeculoplasty: a randomised clinical trial. *Br J Ophthalmol*. 2021 Apr;105(4):514-520. doi: 10.1136/bjophthalmol-2020-316178. Epub 2020 Jun 30. PMID: 32606078.
52. Yong MH, Che Hamzah J. Selective laser trabeculoplasty vs. topical medications for step-up treatment in primary open angle glaucoma: comparing clinical effectiveness, quality of life and cost-effectiveness. *Med J Malaysia*. 2020 Jul;75(4):342-348. PMID: 32723992.
53. Zhang L, Weizer JS, Musch DC. Perioperative medications for preventing temporarily increased intraocular pressure after laser trabeculoplasty. *Cochrane Database Syst Rev*. 2017 Feb 23;2(2):CD010746. doi: 10.1002/14651858.CD010746.pub2. PMID: 28231380; PMCID: PMC5477062.
54. Zhou R, Sun Y, Chen H, et al. Laser trabeculoplasty for open-angle glaucoma: a systematic review and network meta-analysis. *Am J Ophthalmol*. 2020 Sep 1:S0002-9394(20)30412-8. doi: 10.1016/j.ajo.2020.07.046. Epub ahead of print. PMID: 32888900.
55. Zhou Y, Aref AA. A Review of Selective Laser Trabeculoplasty: Recent Findings and Current Perspectives. *Ophthalmol Ther*. 2017 Jun;6(1):19-32. doi: 10.1007/s40123-017-0082-x. Epub 2017 Mar 3. PMID: 28258400; PMCID: PMC5449301.

SOURCES

1. American Academy of Ophthalmology Ophthalmic Technology Assessment Committee Glaucoma Panel: Pediatric Glaucoma Surgery OTA. Nov 2014. <https://pubmed.ncbi.nlm.nih.gov/25066765/>. Accessed 7/2023.
2. American Academy of Ophthalmology Preferred Practice Patterns Glaucoma Panel, Hoskins Center for Quality Eye Care, Glaucoma Summary Benchmarks, 2022. <https://www.aao.org/education/summary-benchmark-detail/glaucoma-summary-benchmarks-2020>. Accessed 7/2023.
3. NICE© National Institute for Health and Care Excellence. Glaucoma diagnosis and management. NICE guideline NGHI. <https://www.nice.org.uk/guidance/ng81>. Accessed 7/2023.
4. Ocular Hypertension Treatment Study (OHTS) Risk Calculator, Washington University of Medicine in St. Louis. <https://ohts.wustl.edu/risk/>. Accessed 7/2023.