

Policy Name	Clinical Policy – Meibomian Gland Diagnostics and Therapies
Policy Number	1341.00
Department	Clinical Product & Strategy
Subcategory	Medical Management
Original Approval Date	02/19/2020
Current MPC/CCO Approval Date	07/12/2023
Current Effective Date	10/01/2023

Company Entities Supported (Select All that Apply): <input checked="" type="checkbox"/> Superior Vision Benefit Management <input checked="" type="checkbox"/> Superior Vision Services <input checked="" type="checkbox"/> Superior Vision of New Jersey, Inc. <input checked="" type="checkbox"/> Block Vision of Texas, Inc. d/b/a Superior Vision of Texas <input checked="" type="checkbox"/> Davis Vision (Collectively referred to as 'Versant Health' or 'the Company')
--

ACRONYMS or DEFINITIONS	
n/a	

PURPOSE

To provide the evaluation methodology of meibomian gland diagnostics and interventions. Applicable procedure codes are also defined.

POLICY

A. Background

This policy reviews the newer diagnostic and treatment modalities for meibomian gland dysfunction and compares to current standard treatments.

Meibomian gland dysfunction is the leading cause of evaporative dry eye. Evaporative dry eye along with aqueous and mucin deficiency constitute the components of dry eye syndrome. The Tear Film Ocular Surface (TFOS) Dry Eye Workshop (DEWS II) defines dry eye syndrome as a "... multifactorial disease of the ocular surface characterized by loss of homeostasis of the tear film and accompanied by ocular symptoms in which tear film

instability and hyperosmolarity, ocular surface inflammation and damage, and neurosensory abnormalities play etiologic roles.

B. Diagnostic Modalities

Many standard diagnostic modalities are used to evaluate the physiologic and biochemical complexities of meibomian gland dysfunction and its related dry eye syndrome.¹ Diagnostic characteristics include lipid layer thickness, the quantity of tear production, tear film breakup time, tear composition, meibum quality, and fluorescein dye to observe microabrasions of the corneal epithelium.

Also helpful are quantitative assessments including the Ocular Surface Disease Index (OSDI), the Standard Patient Evaluation of Eye Dryness Questionnaire (SPEED), the Dry Eye Workshop Score (DEWS), and the Oxford Score which delineates a pattern of ocular surface staining.

The following diagnostics are considered investigational, as these have not yet proven additional value beyond the standard tests.

1. In vivo confocal microscopy (96931, 96934) of the meibomian glands measures meibomian gland acinar longest diameter (MGALD), meibomian gland acinar shortest diameter (MGASD), meibomian gland acinar unit density (MGAUD), meibomian gland acinar unit area (MGAUA), and metrics determining the degree of meibomian gland inflammatory cell density and fibrosis.
2. Interferometry and infrared meibography (CPT 0507T) measure the height of the tear film meniscus and the thickness and structure of the lipid layer.
3. Tear film analysis by interferometry (CPT 0330T).² was initially developed to analyze tear break-up time (TBUT) but is also used to analyze the tear film lipid layer (TFLL)³. Studies have documented a correlation between the tear film lipid layer thickness and the quality of meibomian gland secretions⁴ These studies suggest that the lower the tear film lipid layer, the greater the probability of meibomian gland dysfunction.⁵

C. Medically Necessary

The following therapeutic services represent the current standards of care and may be considered medically necessary for the safe and effective treatment of meibomian gland dysfunction.⁶

1. Warm Compresses
2. Lid Hygiene/Manual Massage

¹ Akpek Dry Eye Diagnostics, Johns Hopkins Medicine.

² Mitra, 2005

³ Garcia, 2013 and 2014

⁴ Finis, 2015

⁵ Yokoi, 2005 and Fom, 2013

⁶ Geering, 2011

3. Azithromycin⁷
4. Tetracycline derivatives (including doxycycline, and minocycline).⁸
5. Cyclosporin-A⁹
6. Lifitegrast ophthalmic solution¹⁰
7. Corticosteroids¹¹

D. Not Medically Necessary

The following interventions are considered investigational and may not be medically necessary for the treatment of meibomian gland dysfunction.

1. Lipiflow¹² (0207T) - Automated evacuation of meibomian glands (e.g., LipiFlow) this technology lacks sufficient evidence that demonstrates improved outcomes beyond the warm compresses, manual expression and topical therapies which remain the standards of care.
2. Tear film imaging (0330T) – This technology does not add new information that would change the treatment of meibomian gland dysfunction. For this reason, it is not medically necessary for diagnosis and treatment.
3. Near infrared dual imaging (0507T) replaces meibography – This technology does not add new information that would change the treatment of meibomian gland dysfunction. For this reason, it is not medically necessary for diagnosis and treatment.
4. TearCare (0563T) Evacuation of meibomian glands, using heat delivered through wearable, open-eye eyelid treatment devices and manual gland expression. This technology lacks sufficient evidence of improved outcomes beyond the warm compresses, manual expression and topical therapies which remain the standards of care.
5. Lumenis (17999) - intense pulsed light, uses unlisted procedure code for skin, mucous membrane, subcutaneous tissue. This technology lacks sufficient evidence of improved outcomes beyond the warm compresses, manual expression and topical therapies which remain the standards of care.
6. BlephEx (91299) - mechanical debridement of the eyelids, uses unlisted procedure code. This technology lacks sufficient evidence of improved outcomes beyond the warm compresses, manual expression and topical therapies which remain the standards of care.

⁷ Opitz, 2011, Fadlallah, 2012, Greene, 2014

⁸ Li, 2001 Wladis, 2015

⁹ Straub, 2016 and Wilson, 2007, Perry, 2006 Prabhasawat, 2012

¹⁰ Robciuc, 2013

¹¹ Geering, 2011, Lee, 2014

¹² Gangoiti, 2010 Hagan, 2018 Finis, 2014. Greinger, 2016. Gangoiti, 2010. Hagan, 2018. Finis, 2014.

E. Procedural Detail

CPT Codes	
0207T	Lipiflow; evacuation of meibomian glands, automated, using heat and intermittent pressure, unilateral.
0330T	Tear film imaging, unilateral or bilateral, with interpretation and report.
0507T	Near-infrared dual imaging (i.e., simultaneous reflective and trans-illuminated light) of meibomian glands, unilateral or bilateral, with interpretation and report.
0563T	TearCare; evacuation of meibomian glands, using heat delivered through wearable, open-eye eyelid treatment devices and manual gland expression, bilateral.
17999	Lumenis; uses unlisted procedure code for skin, mucous membrane, subcutaneous tissue
91299	BlephEx; uses unlisted procedure code

DISCLAIMER and COPYRIGHTS

This clinical policy is provided for information purposes only and does not constitute medical advice. Versant Health, Inc., and its affiliates (the “Company”) do not provide health care services and cannot guarantee any results or outcomes. Treating doctors are solely responsible for determining what services or treatments to provide to their patients. Patients (members) should always consult their doctor before making any decisions about medical care.

Subject to applicable law, compliance with this clinical policy is not a guarantee of coverage or payment. Coverage is based on the terms of an individual’s particular benefit plan document, which may not cover the service(s) or procedure(s) addressed in this clinical policy. The terms of the individual’s specific coverage plan are always determinative. Every effort has been made to ensure that the information in this clinical policy is accurate and complete, however the Company does not guarantee that there are no errors in this policy or that the display of this file on a website is without error. The company and its employees are not liable for any errors, omissions, or other inaccuracies in the information, product, or processes disclosed herein. Neither the company nor the employees represent that the use of such information, products, or processes will not infringe on privately owned rights. In no event shall the Company be liable for direct, indirect, special, incidental, or consequential damages arising out of the use of such information, product, or process.

COMPANY’S COPYRIGHT STATEMENT

Except for any copyrights described below, this Clinical Policy is confidential and proprietary, and no part of this Coverage Policy may be copied without Versant Health, or its applicable affiliates expressing prior written approval.

AMA COPYRIGHT STATEMENT

CPT© 2002-2023 is the copyright of the American Medical Association. All Rights Reserved. CPT™ is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related

components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

RELATED POLICIES AND PROCEDURES	
1323	Experimental and Investigational Diagnostics, Procedures, and Therapies

Document History		
<i>Approval Date</i>	<i>Revision</i>	<i>Effective Date</i>
02/19/2020	Initial policy defines specific meibomian gland diagnostic and treatment devices as investigational and as excluded from Versant Health programs.	06/01/2020
01/06/2021	Annual review; no criteria changes.	04/01/2021
10/06/2021	Annual review; no criteria changes.	04/01/2022
07/06/2022	Annual review; no criteria changes.	07/06/2022
07/12/2023	Add new investigational procedures 17999 and 91299	10/01/2023

REFERENCES AND SOURCES

1. Alhatem A, Cavalcanti B, Hamrah P. In vivo confocal microscopy in dry eye disease and related conditions. *Semin Ophthalmol.* 2012 Sep-Nov;27(5-6):138-48. doi: 10.3109/08820538.2012.711416. PMID: 23163268; PMCID: PMC4456189.
2. Arita R, New Insights into the Lipid Layer of the Tear Film and Meibomian Glands. *Eye Contact Lens*, Nov; 43(6):335-339; 2017.
3. Arita R, Fukuoka S, Morishige N. Therapeutic efficacy of intense pulsed light in patients with refractory meibomian gland dysfunction. *Ocul Surf.* 2019 Jan;17(1):104-110. doi: 10.1016/j.jtos.2018.11.004. Epub 2018 Nov 13. PMID: 30445177.
4. Baudouin C, Messmer E, Aragona A, et.al. Revisiting the vicious circle of dry eye disease: A focus on the pathophysiology of meibomian gland dysfunction. *Br J Ophthalmol*: first published as 10.1136/bjophthalmol-2015-307415 on 18 January 2016.
5. Blackie CA, Coleman CA, Holland EJ. The sustained effect (12 months) of a single dose vectored thermal pulsation procedure for meibomian gland dysfunction and evaporative dry eye. *Clin Ophthalmol.*; 10:1385-1396. doi:10.2147/OPHTH.S109663 2016.
6. Cheng S, Yu Y, Chen J, et.al. In vivo confocal microscopy assessment of meibomian glands microstructure in patients with Graves' orbitopathy. *BMC Ophthalmol.* 2021 Jun 19;21(1):261. doi: 10.1186/s12886-021-02024-z. PMID: 34147078; PMCID: PMC8214770.
7. Craig J P, Nelson J D, Azar D T, et.al. TFOS DEWS II Report Executive Summary, *The Ocular Surface*, 15, 802e812; 2017.

8. De Benedetti G, Vaiano AS. Oral azithromycin and oral doxycycline for the treatment of Meibomian gland dysfunction: A 9-month comparative case series. *Indian J Ophthalmol.* 2019; 67(4):464–471.
9. Eom Y, Lee JS, Kang SY, et.al. Correlation between quantitative measurements of tear film lipid layer thickness and meibomian gland loss in patients with obstructive meibomian gland dysfunction and normal controls. *Am J Ophthalmol*; 155:1104e10; 2013.
10. Finis D, Ackermann P, Pischel N, et.al. Evaluation of Meibomian gland dysfunction and local distribution of meibomian gland atrophy by non-contact infrared meibography. *Curr Eye Res*; 40: 982e9; 2015.
11. Finis D, Hayajneh J, König C, et.al. Evaluation of an automated thermodynamic treatment (LipiFlow®) system for meibomian gland dysfunction: a prospective, randomized, observer-masked trial. *Ocul Surf.*; 12(2):146-154; 2014.
12. Finis D, König C, Hayajneh J, et.al. Six-Month effects of a thermodynamic treatment for MGD and implications of meibomian gland atrophy. *Cornea.* 2014; 33(12):1265-1270; 2014.
13. Foulks GN. Meibomian Gland Dysfunction, American Academy of Ophthalmology - Focal Points - Clinical Modules for Ophthalmologists, Vol XXXII, Number 12, December 2014.
14. Friedland BR, Fleming CP, Blackie CA, et.al. A novel thermodynamic treatment for meibomian gland dysfunction. *Curr Eye Res.* 2011; 36 (2):79–87; 2011.
15. Geering G, Baudouin C, Aragona P, et.al. Emerging strategies for the diagnosis and treatment of meibomian gland dysfunction: Proceedings of the OCEAN group meeting The Ocular Surface 15, 179e192; 2017.
16. Geering G, Tauber J, Baudouin C, et.al. The International Workshop on Meibomian Gland Dysfunction: Report of the Subcommittee on Management and Treatment of Meibomian Gland Dysfunction. *Investig Ophthalmology Vis Sci.*; 52(4):2050 – 2064; 2011.
17. Greiner JV. A single LipiFlow® Thermal Pulsation System treatment improves meibomian gland function and reduces dry eye symptoms for 9 months. *Curr Eye Res.* 2012 Apr;37(4):272-8. doi: 10.3109/02713683.2011.631721. Epub 2012 Feb 10. PMID: 22324772.
18. Greinger J.V. Long-Term (3 Year) Effects of a Single Thermal Pulsation System Treatment on Meibomian Gland Function and Dry Eye Symptoms. *Eye Contact Lens.* Mar 42(2):99-107; 2106.
19. Hagen K, Bedi R, Blackie C, et.al. Comparison of a single-dose vectored thermal pulsation procedure with a 3-month course of daily oral doxycycline for moderate-to-severe meibomian gland dysfunction. *Clin Ophthalmol.*; 12:161-168; 2018.
20. Han S, Zhou J, He C, et al. [Design and Implementation of User-oriented Auxiliary Treatment Instrument for Meibomian Gland Dysfunction]. 2021 Feb 8;45(1):11-16. Chinese. doi: 10.3969/j.issn.1671-7104.2021.01.003. PMID: 33522169.
21. Jin X, Lin Z, Liu Y, Lin L, Zhu B. Hormone replacement therapy benefits meibomian gland dysfunction in perimenopausal women. *Medicine (Baltimore).* 2016 Aug;95(31): e4268. doi: 10.1097/MD.0000000000004268. PMID: 27495030; PMCID: PMC4979784.
22. Khanal S, Bai Y, Ngo W, et al. Human Meibum and Tear Film Derived (O-Acyl)-Omega-Hydroxy Fatty Acids as Biomarkers of Tear Film Dynamics in Meibomian Gland Dysfunction and Dry Eye Disease. *Invest Ophthalmol Vis Sci.* 2021 Jul 1;62(9):13. doi: 10.1167/iovs.62.9.13. PMID: 34236383; PMCID: PMC8267210.
23. Lam PY, Shih KC, Fong PY, Chan TCY, Ng AL, Jhanji V, Tong L. A Review on Evidence-Based Treatments for Meibomian Gland Dysfunction. *Eye Contact Lens.* 2020 Jan;46(1):3-16. doi: 10.1097/ICL.0000000000000680. PMID: 31834043.
24. Lane SS, DuBiner HB, Epstein RJ, et al. A new system, the LipiFlow, for the treatment of meibomian gland dysfunction. *Cornea*; 31(4):396-404; 2012.

25. Lemp MA, Nichols KK. Blepharitis in the United States 2009: a survey-based perspective on prevalence and treatment. *Ocul Surf.*; 7(2 Suppl): S1-S14; 2009.
26. Li Q, Liu J, Liu C, et al. Effects of intense pulsed light treatment on tear cytokines and clinical outcomes in meibomian gland dysfunction. *PLoS One*. 2021 Aug 26;16(8): e0256533. doi: 10.1371/journal.pone.0256533. PMID: 34437596; PMCID: PMC8389452.
27. Lin F, Mao X, Ma L, et al. An investigation into the effects of ocular nebulization combined with meibomian gland massage on ocular surface status and corneal higher-order aberrations for the treatment of meibomian gland dysfunction. *Acta Ophthalmol*. 2022 May;100(3): e681-e693. doi: 10.1111/aos.14961. Epub 2021 Jul 31. PMID: 34331838.
28. Ma X, Lu Y. Efficacy of intraductal meibomian gland probing on tear function in patients with obstructive meibomian gland dysfunction. *Cornea*; 35(6):725-730; 2016.
29. Maskin SL, Alluri S. Intraductal meibomian gland probing: background, patient selection, procedure, and perspectives. *Clin Ophthalmol*. 2019 Jul 10; 13:1203-1223. doi: 10.2147/OPHTH.S183174. Erratum in: *Clin Ophthalmol*. 2019 Aug 05; 13:1475. PMID: 31371917; PMCID: PMC6630046.
30. Menzies K.L. Infrared imaging of meibomian glands and evaluation of the lipid layer in Sjogren's syndrome patients and nondry eye controls. *Invest Ophthalmol Vis Sci*. Jan 8; 56(2):836-41; 2015.
31. Mittal R, Patel S, Galor A. Alternative therapies for dry eye disease. *Curr Opin Ophthalmol*. 2021 Jul 1;32(4):348-361. doi: 10.1097/ICU.0000000000000768. PMID: 34010229; PMCID: PMC8169641.
32. Murphy O, O' Dwyer V, Lloyd-Mckernan A. The Efficacy of Warm Compresses in the Treatment of Meibomian Gland Dysfunction and *Demodex Folliculorum* Blepharitis. *Curr Eye Res*. 2020 May;45(5):563-575. doi: 10.1080/02713683.2019.1686153. Epub 2019 Nov 19. PMID: 31657234.
33. Ngo, W.S. Historical overview of imaging the meibomian glands. *J Optom.*, Elsevier, Published online Nov 24, 2012.
34. Nichols K, Foulks G, Bron A, et.al. The International Workshop on Meibomian Gland Dysfunction: Executive Summary, *Ocular Surface*, 15, 2017.
35. Olafsson J, Lai X, Landsend ECS, et al. TheraPearl Eye Mask and Blephasteam for the treatment of meibomian gland dysfunction: a randomized, comparative clinical trial. *Sci Rep*. 2021 Nov 17;11(1):22386. doi: 10.1038/s41598-021-01899-8. PMID: 34789807; PMCID: PMC8599702.
36. Prabhasawat P, Tesavibul N, Mahawong W. A randomized double-masked study of 0.05% cyclosporine ophthalmic emulsion in the treatment of meibomian gland dysfunction. *Cornea*. 2012; 31(12):1386-1393.
37. Runda N, Manna S, Vanathi M, Tandon R, Gupta N. Tear film lipid layer thickness measurement from Ocular Surface Analyzer as a marker to monitor treatment of meibomian gland dysfunction in a study comparing physiological detergent-free eyelid wipes with conventional therapy: A randomized trial. *Indian J Ophthalmol*. 2022 Jun;70(6):1963-1970. doi: 10.4103/ijo.IJO_2885_21. PMID: 35647963; PMCID: PMC9359219.
38. Ruixing L, Bei R, Ping T, et.al. Analysis of Cytokine Levels in Tears and Clinical Correlations After Intense Pulsed Light Treating Meibomian Gland Dysfunction, *Am J Ophthalmol*, 2017; 183:81–90.
39. Sabeti S, Kheirkhah A, Yin J, Dana R. Management of meibomian gland dysfunction: a review. *Surv Ophthalmol*. 2020 Mar-Apr;65(2):205-217. doi: 10.1016/j.survophthal.2019.08.007. Epub 2019 Sep 5. PMID: 31494111.
40. Sarman ZS, Cucen B, Yuksel N. et.al. Effectiveness of Intraductal Meibomian Gland Probing for Obstructive Meibomian Gland Dysfunction, *Cornea*; 35:721–724; 2016.

41. Schuh A, Muth D, Shajari M, et al. Effect of IPL in Patients with Meibomian Gland Dysfunction. 2021 Aug;238(8):893-898. English. doi: 10.1055/a-1333-3032. Epub 2021 Feb 4. PMID: 33540463.
42. Shetty R, Dua HS, Tong L, et.al. Role of in vivo confocal microscopy in dry eye disease and eye pain. *Indian J Ophthalmol.* 2023 Apr;71(4):1099-1104. doi: 10.4103/IJO.IJO_3013_22. PMID: 37026240; PMCID: PMC10276692.
43. Shin KY, Lim DH, Moon CH, et al. Intense pulsed light plus meibomian gland expression versus intense pulsed light alone for meibomian gland dysfunction: A randomized crossover study. *PLoS One.* 2021 Mar 4;16(3): e0246245. doi: 10.1371/journal.pone.0246245. PMID: 33662017; PMCID: PMC7932142.
44. Sik Sarman Z, Cucen B, Yuksel N, et.al. Effectiveness of intraductal meibomian gland probing for obstructive meibomian gland dysfunction. *Cornea*; 35(6):721-724; 2016.
45. Straub M, Bron AM, Muselier-Mathieu A, et.al. Long-term outcome after topical ciclosporin in severe dry eye disease with a 10-year follow-up. *Br J Ophthalmol.* 2016; 100(11):1547-1550.
46. Sutu C, Fukuoka H, Afshari NA. Mechanisms and management of dry eye in cataract surgery patients. *Curr Opin Ophthalmol.* 2016 Jan;27(1):24-30. doi: 10.1097/ICU.0000000000000227. PMID: 26569526.
47. Suwal A, Hao JL, Zhou DD, et al. Use of Intense Pulsed Light to Mitigate Meibomian Gland Dysfunction for Dry Eye Disease. *Int J Med Sci.* 2020 Jun 1;17(10):1385-1392. doi: 10.7150/ijms.44288. PMID: 32624695; PMCID: PMC7330664.
48. Tashbayev B, Yazdani M, Arita R, et.al. Intense pulsed light treatment in meibomian gland dysfunction: A concise review. *Ocul Surf.* 2020 Oct;18(4):583-594. doi: 10.1016/j.jtos.2020.06.002. Epub 2020 Jul 3. PMID: 32629039.
49. Tauber J, Owen J, Bloomenstein M. et.al. Comparison of the iLUX and the LipiFlow for the Treatment of Meibomian Gland Dysfunction and Symptoms: A Randomized Clinical Trial. *Clin Ophthalmol.* 2020 Feb 12; 14:405-418. doi: 10.2147/OPTH.S234008. PMID: 32103887; PMCID: PMC7024784.
50. Tao T, Tao L. Systematic review and meta-analysis of treating meibomian gland dysfunction with azithromycin. *Eye (Lond).* 2020 Oct;34(10):1797-1808. doi: 10.1038/s41433-020-0876-2. Epub 2020 Apr 28. PMID: 32346111; PMCID: PMC7608442.
51. Tang Y, Liu R, Tu P, et al. A Retrospective Study of Treatment Outcomes and Prognostic Factors of Intense Pulsed Light Therapy Combined with Meibomian Gland Expression in Patients with Meibomian Gland Dysfunction. *Eye Contact Lens.* 2021 Jan 1;47(1):38-44. doi: 10.1097/ICL.0000000000000704. PMID: 32282398; PMCID: PMC7752209.
52. Vigo LT. Ocular Surface Workup in Patients with Meibomian Gland Dysfunction Treated with Intense Regulated Pulsed Light. *Diagnostics*, 2019. Oct 13; 9(4). pii: E147.
53. Villani E, Marelli L, Dellavalle A, et.al. Latest evidence on meibomian gland dysfunction diagnosis and management. *Ocul Surf.* 2020 Oct;18(4):871-892. doi: 10.1016/j.jtos.2020.09.001. Epub 2020 Sep 12. PMID: 32927081.
54. Wang M.T.M. Randomised trial of the clinical utility of an eyelid massage device for the management of meibomian gland dysfunction. *Cont Lens Anterior Eye.*, 2019; pii: S1367-0484(18)31032-4.
55. Wladis EJ, Bradley EA, Bilyk JR, et.al. Oral Antibiotics for Meibomian Gland-Related Ocular Surface Disease: A Report by the American Academy of Ophthalmology. *Ophthalmology.* 2016; 123(3):492–496.
56. Wladis EJ, Aakalu VK, Foster JA, et.al. Intense Pulsed Light for Meibomian Gland Disease: A Report by the American Academy of Ophthalmology. *Ophthalmology.* 2020

- Sep;127(9):1227-1233. doi: 10.1016/j.optha.2020.03.009. Epub 2020 Apr 21. PMID: 32327256.
57. Wilson SE, Perry HD. Long-term resolution of chronic dry eye symptoms and signs after topical cyclosporine treatment. *Ophthalmology*. 2007; 114(1):76-79.
 58. Xiao Ma, MD, and Yan Lu, MD Efficacy of Intraductal Meibomian Gland Probing on Tear Function in Patients with Obstructive Meibomian Gland Dysfunction, *Cornea* 2016;35:725–730.
 59. Xiao J, Adil MY, Chen X, et al. Functional and Morphological Evaluation of Meibomian Glands in the Assessment of Meibomian Gland Dysfunction Subtype and Severity. *Am J Ophthalmol*. 2020 Jan; 209:160-167. doi: 10.1016/j.ajo.2019.09.005. Epub 2019 Sep 14. PMID: 31526799.
 60. Xue AL, Wang MTM, Ormonde SE, Craig JP. Randomised double-masked placebo-controlled trial of the cumulative treatment efficacy profile of intense pulsed light therapy for meibomian gland dysfunction. *Ocul Surf*. 2020 Apr;18(2):286-297. doi: 10.1016/j.jtos.2020.01.003. Epub 2020 Jan 30. PMID: 32007523.
 61. Yurttaser Ocak S, Karakus S, Ocak OB, et al. Intense pulse light therapy treatment for refractory dry eye disease due to meibomian gland dysfunction. *Int Ophthalmol*. 2020 May;40(5):1135-1141. doi: 10.1007/s10792-019-01278-3. Epub 2020 Jan 8. PMID: 31916061.
 62. Zarei-Ghanavati S, Hassanzadeh S, Khorasani AA, et al. The Effect of Meibomian Gland Dysfunction Treatment on Sleep Quality. *J Curr Ophthalmol*. 2021 Oct 22;33(3):272-276. doi: 10.4103/joco.joco_171_20. PMID: 34765814; PMCID: PMC8579795.

SOURCES

1. Al-Rajhi AA et.al. Blepharitis – Preferred Practice Pattern, American Academy of Ophthalmology, September 2018.
2. Akpek, Esen Karamusel. Hopkins Medicine. Dry Eye Diagnosis. <https://www.hopkinsmedicine.org/health/conditions-and-diseases/dry-eye>. Accessed 6/2023.
3. Berdy GJ, Ocular Surface Disease Management, Instructional course 249, American Academy of Ophthalmology, San Francisco, October 2019.
4. Foulks GN. Meibomian Gland Dysfunction, American Academy of Ophthalmology - Focal Points - Clinical Modules for Ophthalmologists, Vol XXXII, Number 12, December 2014.
5. Jin X, Lin Z, Liu Y, Lin L, Zhu B. Hormone replacement therapy benefits meibomian gland dysfunction in perimenopausal women. *Medicine (Baltimore)*. 2016 Aug;95(31):e4268. doi: 10.1097/MD.0000000000004268. PMID: 27495030; PMCID: PMC4979784.
6. Review of Optometry, Ocular surface coding. <https://www.reviewofoptometry.com/article/ocular-surface-coding-potpourri>. Accessed 5/2023.