

Policy Name	Clinical Policy – Refractive Surgery
Policy Number	1333.00
Department	Clinical Product & Strategy
Subcategory	Medical Management
Original Approval Date	12/13/2018
Current MPC/CCO Approval Date	04/03/2024
Current Effective Date	06/01/2024

Company Entities Supported (Select All that Apply)

☒ Superior Vision Benefit Management
☒ Superior Vision Services
☒ Superior Vision of New Jersey, Inc.
☒ Block Vision of Texas, Inc. d/b/a Superior Vision of Texas
☒ Davis Vision
 (Collectively referred to as 'Versant Health' or 'the Company')

PURPOSE

To provide the clinical criteria to support the indication(s) for refractive surgery and to render medical necessity determinations. Applicable codes are also defined.

ACRONYMS	
AK	Astigmatic Keratotomy, via limbal or corneal relaxing incisions
ALK	Automated lamellar keratoplasty
CLE	Clear lens exchange
ICRS	intrastromal corneal ring segment
LASEK	Laser epithelial keratomileusis
LASIK	Laser eye surgery
LTK	Laser thermokeratoplasty
PRK	Photorefractive keratectomy
RK	Radial Keratotomy
SCOCA	Surgical correction of corneal astigmatism
SMILE	Small Incision Lenticule Extraction

POLICY

A. BACKGROUND

Under normal circumstances, parallel rays of light are refracted by the ocular surfaces, principally the cornea, and focused as a single point on the central aspect of the retina called the fovea. When that focal point occurs at a location other than the fovea that is an error of refraction. When that focal point is in front of the fovea it results in a myopic refractive error. When that focal point is behind the fovea it results in hyperopic refractive error. When the focus does not resolve to a point, (The Greek word for “point” is stigma); the resultant refractive error is referred to as astigmatism (without a point).

The management of refractive errors is principally done with spectacles and contact lenses. When symptomatic refractive errors occur because of surgery or trauma, refractive surgery may be required. Multiple surgical procedures exist to correct symptomatic refractive error.

The procedures of refractive surgery continue to be refined as newer technologies replace older procedures with improved outcomes and safety profiles.¹ Laser assisted in situ Keratomileusis (LASIK), Photorefractive keratectomy (PRK) and small incision lenticular extraction (SMILE) are currently widely used technologies for corneal laser based cornea refractive surgery and have supplanted the use of Keratomileusis, Keratophakia, Epikeratoplasty, Epikeratophakia, Radial Keratotomy. Additional refractive options include corneal relaxing incisions for the correction of astigmatism.

B. Medically Necessary

1. Surgically Induced Astigmatism

65772	Corneal relaxing incision for correction of surgically induced astigmatism
65775	Corneal wedge resection for correction of surgically induced astigmatism
66999	66999 Small Incision Lenticule Extraction (SMILE); use unlisted procedure, anterior segment of eye.
S0800	Laser in situ keratomileusis (LASIK) for correction of surgically induced astigmatism
S0810	Photorefractive keratectomy (PRK), Photo astigmatic Keratectomy (PARK)

Refractive surgery may be medically necessary for the correction of symptomatic astigmatism resulting from surgery or trauma when:

- a. The astigmatism is greater than 2.5 diopters; and,

¹ The American Academy of Ophthalmology Preferred Practice Pattern-Refractive Errors and Refractive Surgery.

- b. The preceding surgical procedure was not a clear lens refractive exchange or cataract surgery with Premium Intra-ocular implant; and,
- c. The patient has failed a three-month trial of spectacles and/or contact lenses; or,
- d. The patient is intolerant of contacts and glasses and is unable to complete a 3-month trial; or,
- e. The patient has refractive amblyopia and is intolerant of glasses or contacts.

2. Epikeratoplasty

65767	Epikeratoplasty
-------	-----------------

Epikeratoplasty may be medically necessary for

- a. Congenital aphakia; or,
- b. Acquired aphakia in patients where intraocular implant is a substantial risk and contact lens wear is not possible or practical; or,
- c. The patient is intolerant of contacts and glasses and is unable to complete a 3 month trial.
- d. The patient has refractive amblyopia and cannot tolerate glasses or contacts.

3. Symptomatic anisometropia after surgery or trauma

66985	Insertion of intraocular lens prosthesis (secondary implant), not associated with concurrent cataract removal
S0800	Laser in situ keratomileusis (LASIK)
S0810	Photorefractive keratectomy (PRK), Photo astigmatic Keratectomy (PARK)

These procedures may be medically necessary to correct symptomatic refractive errors induced from prior surgery or trauma when the following criteria are met:

- a. Anisometropia greater than 3.0 diopters; or,
- b. Symptomatic aniseikonia that cannot be resolved by other means; or,
- c. The resultant refractive error has been stable for three months from the initial post-operative determination and not expected to resolve without surgical intervention; or,
- d. The patient has refractive amblyopia and cannot tolerate glasses or contacts.

C. Not Medically Necessary

Refractive surgery may not be medically necessary when the prior surgery was a clear lens refractive exchange, involved a premium intraocular lens implant, or other related refractive procedure.

D. Documentation

Medical necessity must be supported by adequate and complete documentation in the patient's medical record that describes the procedure and the medical rationale as in the requirements above. All medical record items must be available upon request to initiate or sustain previous payments. For any retrospective review, a full operative report and/or the clinical care plan is needed.

Every page of the record must be legible and include appropriate patient identification information (e.g., complete name, date(s) of service). Services provided or ordered must be authenticated by the physician in a handwritten or electronic signature. Stamped signatures are not acceptable.

All of the following documentation is required to support the medical necessity of refractive surgery.

1. A signed statement of medical necessity is required. This statement must document the specific indication appropriate to the patient and be accompanied by the supporting medical record.
2. The statement must include the relevant medical history, physical examination, and results of pertinent diagnostic tests or procedures and the prescription for lenses.

E. Procedural Detail

CPT/HCPCS Codes	
65767	Epikeratoplasty
65771	Radial keratotomy
65772	Corneal relaxing incision for correction of surgically induced astigmatism. See Policy 1320.00 Correction of Surgically Induced Astigmatism
65775	Corneal wedge resection for correction of surgically induced astigmatism
65785	Implantation of intrastromal corneal ring segments. See Policy 1328.00 Keratoconus and Related corneal Ectasias
66985	Insertion of intraocular lens prosthesis (secondary implant), not associated with concurrent cataract removal
66999	Small incision Lenticule Extraction; use unlisted procedure, anterior segment of eye
S0800	Laser in situ keratomileusis (LASIK)

S0810	Photorefractive keratectomy (PRK)
Required Modifiers	
RT	Right Side
LT	Left Side
50	Bilateral
Invalid Modifiers	
24	EM visit during post-op period
25	EM visit same day as minor procedure
57	EM visit same day as major procedure
26	Professional Component
TC	Technical Component

DISCLAIMER and COPYRIGHTS

This clinical policy is provided for information purposes only and does not constitute medical advice. Versant Health, Inc., and its affiliates (the “Company”) do not provide health care services and cannot guarantee any results or outcomes. Treating doctors are solely responsible for determining what services or treatments to provide to their patients. Patients (members) should always consult their doctor before making any decisions about medical care.

Subject to applicable law, compliance with this clinical policy is not a guarantee of coverage or payment. Coverage is based on the terms of an individual's particular benefit plan document, which may not cover the service(s) or procedure(s) addressed in this clinical policy. The terms of the individual's specific benefit plan are always determinative.

Every effort has been made to ensure that the information in this clinical policy is accurate and complete, however the Company does not guarantee that there are no errors in this policy or that the display of this file on a website is without error. The company and its employees are not liable for any errors, omissions, or other inaccuracies in the information, product, or processes disclosed herein. Neither the company nor the employees represent that the use of such information, products, or processes will not infringe on privately owned rights. In no event shall the Company be liable for direct, indirect, special, incidental, or consequential damages arising out of the use of such information, product, or process.

COMPANY'S COPYRIGHT STATEMENT Except for any copyrights described below, this clinical policy is confidential and proprietary, and no part of this clinical policy may be copied, distributed or used without Versant Health, or its applicable affiliates expressing prior written approval.

AMA COPYRIGHT STATEMENT CPT© is the 2002-2024 copyright of the American Medical Association. All Rights Reserved. CPT™ is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

RELATED POLICIES AND PROCEDURES	
1306	Refractive Amblyopia
1311	Adult Strabismus Surgery
1328	Keratoconus and Related Corneal Ectasias

DOCUMENT HISTORY		
<i>Approval Date</i>	<i>Revision</i>	<i>Effective Date</i>
12/13/2018	Initial policy	12/13/2018
07/25/2019	Addition of criteria for three month stability	08/01/2019
06/03/2020	Combine with 1320 Surgically Induced Astigmatism (retired)	09/01/2020
04/07/2021	Criteria for corneal thickness (65785 intrastromal rings) is reduced from 450 to 400 microns.	09/01/2021
04/06/2022	Annual review; no criteria changes.	07/01/2022
10/12/2022	Administrative removal of code 66999; no additional review or criteria change.	01/01/2023
04/12/2023	Adds inclusion criteria of intolerance to glasses or contacts; adds new indication of refractive amblyopia; deletes INTACS section as duplicative of 1328 Keratoconus policy.	10/01/2023
04/03/2024	Annual review; no criteria changes.	06/01/2024

REFERENCES AND SOURCES

1. Barsam A, Allan B. Excimer laser refractive surgery versus phakic intraocular lenses for the correction of moderate to high myopia. *Cochrane Database Syst Rev*. 2010;(5):CD007679.
2. Bower, KS, Trobe J, Givens J, Laser Refractive Surgery, Up to Date, February 2020, Topic 6908, Version 37.0.
3. Cao K, Zhang J, Wang J, et.al. Implantable collamer lens versus small incision lenticule extraction for high myopia correction: A systematic review and meta-analysis. *BMC Ophthalmol*. 2021 Dec 27;21(1):450. doi: 10.1186/s12886-021-02206-9. PMID: 34961514; PMCID: PMC8711178.
4. Blum M, Kunert KS, Schulze M, et.al. 10-Year Results of FLEx Refractive Surgery. *J Refract Surg*. 2019 Nov 1;35(11):707-711. doi: 10.3928/1081597X-20191002-01. PMID: 31710372.
5. Chen TY, Chu DS. Refractive surgery for patients with autoimmune diseases. *Curr Opin Ophthalmol*. 2020 Jul;31(4):247-252. doi: 10.1097/ICU.0000000000000668. PMID: 32412958.
6. Cummings AB. Growing refractive surgery. *Indian J Ophthalmol*. 2020 Dec;68(12):2652-2653. doi: 10.4103/ijo.IJO_1779_20. PMID: 33229636; PMCID: PMC7856985.
7. Denisova K, Barmettler A. Oculoplastic considerations for refractive procedures. *Curr Opin Ophthalmol*. 2020 Jul;31(4):241-246. doi: 10.1097/ICU.0000000000000667. PMID: 32487809.
8. Dong Z, Zhou X, Wu J, et al. Small incision lenticule extraction (SMILE) and femtosecond laser LASIK: comparison of corneal wound healing and inflammation. *Br J Ophthalmol* 2014; 98: 263–69.
9. Edge R, Horton J. Refractive Laser Surgery for Vision Conditions: CADTH Health Technology Review [Internet]. Ottawa (ON): Canadian Agency for Drugs and Technologies in Health; 2023 Oct. Report No.: RC1514. PMID: 38096353.
10. Ferreira A, Marta A, Baptista PM, et.al. Refractive Surgery for Older Children and Adults with Accommodative Esotropia: A Systematic Review. *Ophthalmic Res*. 2022;65(4):361-376. doi: 10.1159/000523816. Epub 2022 Feb 28. PMID: 35226900.
11. Giri P, Azar DT. Risk profiles of ectasia after keratorefractive surgery. *Curr Opin Ophthalmol* 2017; 28: 337–42.
12. Guo H, Hosseini-Moghaddam SM, Hodge W. Corneal biomechanical properties after SMILE versus FLEX, LASIK, LASEK, or PRK: a systematic review and meta-analysis. *BMC Ophthalmol*. 2019;19(1):167.
13. Jabbour S, Bower KS. Refractive Surgery in the US in 2021. *JAMA (Journal of the American Medical Association)*. 2021 Jul 6;326(1):77-78. doi: 10.1001/jama.2020.20245. PMID: 34228079.
14. Kandel H, Khadka J, Lundström M, et.al. Questionnaires for Measuring Refractive Surgery Outcomes. *J Refract Surg*. 2017;33(6):416–424.
15. Kohnen T. Expanding refractive surgery. *J Cataract Refract Surg*. 2017;43(6):715–716.
16. Kuryan J, Cheema A, Chuck RS. Laser-assisted subepithelial keratectomy (LASEK) versus laser-assisted in-situ keratomileusis (LASIK) for correcting myopia. *Cochrane Database Syst Rev* 2017; 2: CD011080.

17. Li Y, Piao JJ. [Cautious about the indication expansion of intraocular refractive surgery]. 2020 Feb 11;56(2):89-92. Chinese. doi: 10.3760/cma.j.issn.0412-4081.2020.02.003. PMID: 32074818.
18. Pillar A, Krueger R, Advances in Refractive Surgery: June 2014 to July 2015, Asia Pac J Ophthalmology 2016;5: 212-222.
19. Randleman JB. The State of Refractive Surgery: 2021 and beyond. J Refract Surg. 2021 Jan 1;37(1):6. doi: 10.3928/1081597X-20201221-01. PMID: 33432989.
20. Randleman JB. *Journal of Refractive Surgery Case Reports: An Idea Whose Time Has Come*. J Refract Surg. 2021 Apr;37(4):222. doi: 10.3928/1081597X-20210316-01. Epub 2021 Apr 1. PMID: 34038668.
21. Reinstein DZ, Therapeutic Corneal Refractive Surgery, Instructional Course 423, American Academy Of Ophthalmology, October 14, 2019.
22. Reinstein DZ. The Time Has Come for Refractive Surgery to Be Included in the Fight Against Global Visual Impairment Due to Uncorrected Refractive Error. J Refract Surg. 2022 Jan;38(1):6-8. doi: 10.3928/1081597X-20211109-03. Epub 2022 Jan 1. PMID: 35020541.
23. Reinstein DZ. Therapeutic refractive surgery. J Refract Surg. 2015 Jan;31(1):6-8. doi: 10.3928/1081597X-20141223-01. PMID: 25599537.
24. Salducci M, Pacella F, Malvasi M, et.al. Medico legal considerations on refractive surgery. Clin Ter. 2020 Nov-Dec;171(6): e476-e480. doi: 10.7417/CT.2020.2260. PMID: 33151244.
25. Sugar A, Hood CT, Mian SI. Patient-reported outcomes following LASIK: quality of life in the PROWL studies. JAMA 2017; 317: 204–05.
26. Wen D, Mcalinden C, Flitcroft I, et al. Postoperative efficacy, predictability, safety, and visual quality of laser corneal refractive surgery: A network meta-analysis. Am J Ophthalmol 2017; 178: 65-78.
27. Yesilirmak N, Davis Z, Yoo SH. Refractive Surgery (SMILE vs. LASIK vs. Phakic IOL (intraocular lens)). Int Ophthalmol Clin. 2016 Summer;56(3):137-47. doi: 10.1097/IIO.000000000000120. PMID: 27257728.
28. Zhang J, Wang Y, Chen X, et.al. Clinical outcomes of corneal refractive surgery comparing centration on the corneal vertex with the pupil center: a meta-analysis. Int Ophthalmol. 2020 Dec;40(12):3555-3563. doi: 10.1007/s10792-020-01506-1. Epub 2020 Jul 15. PMID: 32671600.
29. Zhang Y, Shen Q, Jia Y, et.al. Clinical Outcomes of SMILE and FS-LASIK used to treat myopia: a meta-analysis. J Refract Surg 2016; 32: 256–65.

SOURCES

1. American Academy of Ophthalmology (AAO). What Is Small Incision Lenticule Extraction? May 2023. <https://www.aao.org/eye-health/treatments/what-is-small-incision-lenticule-extraction>. Accessed 2/2024.
2. American Optometric Association (AOA). Center for Healthy Vision. Astigmatism. 2019. Available at: <http://www.aoa.org/patients-and-public/eye-and-vision-problems/glossary-of-eye-and-vision-conditions/astigmatism?sso=y>. Accessed 2/2024.
3. American Academy of Ophthalmology Corneal Incisions to Correct Astigmatism, Course 147, American Academy of Ophthalmology, October 14, 2019.
4. U.S. Food and Drug Administration (FDA). Listing of FDA-approved lasers for PRK and other refractive surgeries. <https://www.fda.gov/medical-devices/lasik/list-fda-approved-lasers-lasik> . Accessed 2/2024.