

Policy Name	Clinical Policy – Telemedicine
Policy Number	1336.00
Department	Clinical Product & Strategy
Subcategory	Medical Management
Original Approval Date	06/12/2019
Current MPC/CCO Approval Date	07/12/2023
Current Effective Date	10/01/2023

Company Entities Supported (Select All that Apply)

- X_ Superior Vision Benefit Management
- X Superior Vision Services
- X Superior Vision of New Jersey, Inc.
- X Block Vision of Texas, Inc. d/b/a Superior Vision of Texas
- X Davis Vision

(Collectively referred to as 'Versant Health' or 'the Company'

ACRONYMS or DEF	INITIONS
n/a	

PURPOSE

To define applicable procedure codes of medically necessary criteria for the use of telemedicine in accordance with Versant Health requirements.

POLICY			

A. BACKGROUND

The term telemedicine references real time audio/video communication between and among patients and doctors, store and forward technologies and remote monitoring devices. These technologies, where medical necessity has been established, improve outcomes through early detection, increase access to care, and reduce costs. Versant Health supports telemedicine, while strictly overseeing all aspects of safety, privacy, security and professional practices. Quality requirements include ongoing measurement of telemedicine outcomes to validate that telemedicine technologies alone, or in coordination with usual care maintain similar or better outcomes than usual care alone.



B. Mandatory telemedicine requirements

- 1. The technology must authenticate the facility, if applicable, location and identity of the requesting patient.
- 2. The technology must disclose and validate the identity and appropriate training of professional rendering care.
- 3. Appropriate informed consent must be obtained referencing the advantages, limitations, and alternatives of these technologies.
- 4. The patient must have access to the record documenting the care received
- 5. The professional providing care must be appropriately licensed and the telemedicine services must be approved by both the authority issuing the professional license and the jurisdiction in which the patient is resident.
- 6. The licensed professional providing telemedicine services is responsible for the supervision of any non-physicians involved in patient care.
- 7. The physician must have liability insurance specifically including the provision of telemedicine services.
- 8. The telemedicine services rendered follow the same standard of care protocols
- 9. Telemedicine encounters include modalities supported by the American Telemedicine Association consistent with state and federal regulations.

C. Scenarios when telemedicine services are not separately reimbursable

- 1. They occur the same day as a face-to-face encounter
- 2. They are comprised only of audio technology (telephone) without interactive real time video technology (except as allowed per state and federal regulations).
- They are comprised of text messaging without real time interactive audio and visual components
- 4. They comprise incidental support to face to face encounters
- 5. They comprise routine administrative matters, such as, but not limited to, appointments, prescription renewals, authorization updates, scheduling issues, etc.
- 6. They are performed within the global period of a surgery and are related to that event

D. Documentation

Medical necessity must be supported by adequate and complete documentation in the patient's medical record that describes the procedure and the medical rationale for it as in Section B. above. All items must be available upon request to initiate or sustain previous payments. For retrospective reviews the operative report and medical care plan is required.

Every page of the record must be legible and include appropriate patient identification information (e.g., complete name, date(s) of service). Services provided/ordered must be authenticated by the physician, in a handwritten or electronic signature. Stamped signatures are not acceptable.



E. Procedural Detail

0378T	Visual field assessment, with concurrent real time data analysis and accessible
00701	data storage with patient initiated data transmitted to a remote surveillance
	center for up to 30 days, review, and interpretation with report by a physician
	or other qualified health care professional
0379T	Visual field assessment, with concurrent real time data analysis and accessible
	data storage with patient initiated data transmitted to a remote surveillance
	center for up to 30 days; technical support and patient instructions,
	surveillance, analysis, and transmission of daily and emergent data reports as
	prescribed by a physician or other qualified health care professional
92002	Ophthalmological services: medical examination and evaluation with initiation
	of diagnostic and treatment program; intermediate, new patient
92004	Ophthalmological services: medical examination and evaluation with initiation
92004	of diagnostic and treatment program; comprehensive, new patient, one or
	more visits Ophthalmological services: medical examination and evaluation with initiation
92012	of diagnostic and treatment program; intermediate, established patient
32012	Ophthalmological services: medical examination and evaluation with initiation
92014	of diagnostic and treatment program; comprehensive, established patient, one
02011	or more visits
96116	Neurobehavioral status exam (clinical assessment of thinking, reasoning and
	judgment, [e.g., acquired knowledge, attention, language, memory, planning
	and problem solving, and visual spatial abilities]), by physician or other
	qualified health care professional, both face-to-face time with the patient and
	time interpreting test results and preparing the report; first hour.
99202	Office or other outpatient visit for the evaluation and management of a new
	patient, which requires a medically appropriate history and/or examination and
	straight forward medical decision making. When using time for code selection,
	15-29 minutes of total time is spent on the date of the encounter.
99203	Office or other outpatient visit for the evaluation and management of a new
	patient, which requires a medically appropriate history and/or examination and
	low level of medical decision making. When using time for code selection, 30-
00004	44 minutes of total time is spent on the date of the encounter.
99204	Office or other outpatient visit for the evaluation and management of a new
	patient, which requires a medically appropriate history and/or examination and
	moderate level of medical decision making. When using time for code selection, 45-59 minutes of total time is spent on the date of the encounter.
99205	Office or other outpatient visit for the evaluation and management of a new
33200	patient, which requires a medically appropriate history and/or examination and
	high level of medical decision making. When using time for code selection, 60-
	74 minutes of total time is spent on the date of the encounter.



99211	Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment
99212	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using time for code selection, 10-19 minutes of total time is spent on the date of the encounter.
f99213	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using time for code selection, 20-29 minutes of total time is spent on the date of the encounter.
99214	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using time for code selection, 30-39 minutes of total time is spent on the date of the encounter.
99215	Office or other outpatient visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using time for code selection, 40-54 minutes of total time is spent on the date of the encounter.
99231	Subsequent hospital visit, 15 minutes - limited to one telehealth every 3 days per CMS
99232	Subsequent hospital visit, 25 minutes – limited to one telehealth every 3 days per CMS
99233	Subsequent hospital visit, 35 minutes – limited to one telehealth every 3 days per CMS
99307	Subsequent nursing home visit, 10 minutes – limited to one telehealth every 30 days per CMS
99308	Subsequent nursing home visit, 15 minutes – limited to one telehealth every 30 days per CMS
99309	Subsequent nursing home visit, 25 minutes – limited to one telehealth every 30 days per CMS
99310	Subsequent nursing home visit, 35 minutes – limited to one telehealth every 30 days.
99334	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components
99335	Domiciliary or rest home visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components
99347	Home visit for the evaluation and management of an established patient
99348	Home visit for the evaluation and management of an established patient
99354	Prolonged service(s) in the outpatient setting requiring direct patient contact beyond the time of the usual service
99355	Prolonged service(s) in the outpatient setting requiring direct patient contact beyond the time of the usual service; each additional 30 minutes



d service in the inpatient or observation setting, requiring unit/floor and the usual service; each additional 30 minutes and tobacco use cessation counseling visit; intensive, greater than 10 gital evaluation and management service, for an established patient, 7 days, cumulative time during the 7 days; 5-10 minutes gital evaluation and management service, for an established patient, 7 days, cumulative time during the 7 days; 11-20 minutes gital evaluation and management service, for an established patient, 7 days, cumulative time during the 7 days; 21 or more minutes outpatient self-management training services, individual, per 30 outpatient self-management training services, group session (two or er 30 minutes d preventive service(s) (beyond the typical service time of the primary e), in the office or other outpatient setting requiring direct patient beyond the usual service; first 30 minutes d preventive service(s) (beyond the typical service time of the primary de), in the office or other outpatient setting requiring direct patient beyond the usual service; first 30 minutes d preventive service(s) (beyond the typical service time of the primary de).
gital evaluation and management service, for an established patient, 7 days, cumulative time during the 7 days; 5-10 minutes gital evaluation and management service, for an established patient, 7 days, cumulative time during the 7 days; 11-20 minutes gital evaluation and management service, for an established patient, 7 days, cumulative time during the 7 days; 21 or more minutes outpatient self-management training services, individual, per 30 outpatient self-management training services, group session (two or er 30 minutes d preventive service(s) (beyond the typical service time of the primary e), in the office or other outpatient setting requiring direct patient seyond the usual service; first 30 minutes
7 days, cumulative time during the 7 days; 5-10 minutes gital evaluation and management service, for an established patient, 7 days, cumulative time during the 7 days; 11-20 minutes gital evaluation and management service, for an established patient, 7 days, cumulative time during the 7 days; 21 or more minutes outpatient self-management training services, individual, per 30 outpatient self-management training services, group session (two or er 30 minutes d preventive service(s) (beyond the typical service time of the primary e), in the office or other outpatient setting requiring direct patient beyond the usual service; first 30 minutes
7 days, cumulative time during the 7 days; 11-20 minutes gital evaluation and management service, for an established patient, 7 days, cumulative time during the 7 days; 21 or more minutes outpatient self-management training services, individual, per 30 outpatient self-management training services, group session (two or er 30 minutes d preventive service(s) (beyond the typical service time of the primary e), in the office or other outpatient setting requiring direct patient beyond the usual service; first 30 minutes
7 days, cumulative time during the 7 days; 21 or more minutes outpatient self-management training services, individual, per 30 outpatient self-management training services, group session (two or er 30 minutes d preventive service(s) (beyond the typical service time of the primary e), in the office or other outpatient setting requiring direct patient beyond the usual service; first 30 minutes
outpatient self-management training services, group session (two or er 30 minutes d preventive service(s) (beyond the typical service time of the primary e), in the office or other outpatient setting requiring direct patient beyond the usual service; first 30 minutes
d preventive service(s) (beyond the typical service time of the primary e), in the office or other outpatient setting requiring direct patient beyond the usual service; first 30 minutes
e), in the office or other outpatient setting requiring direct patient beyond the usual service; first 30 minutes
e), in the office or other outpatient setting requiring direct patient beyond the usual service; first 30 minutes
nmunication technology-based service, e.g., virtual check-in, by a or other qualified health care professional who can report evaluation agement services, provided to an established patient,
for a telehealth distant site service furnished by a Rural Health Clinic Federally Qualified Health Center (FQHC) only
d office or other outpatient evaluation and management service(s) he maximum required time of the primary procedure which has been using total time on the date of the primary service; each additional 15
ophthalmological examination including refraction; new patient
ophthalmological examination including refraction; established patient
it/encounter, all-inclusive; for use by federal access sites, CAH, RHC.
th originating site facility fee with place of service Physician or
į



92227	Remote imaging for detection of retinal disease (e.g., retinopathy in a patient with diabetes) with analysis and report under physician supervision, unilateral or bilateral
92228	Remote imaging for monitoring and management of active retinal disease (e.g., diabetic retinopathy) with physician review, interpretation, and report, unilateral or bilateral
92229	Imaging of retina for detection or monitoring of disease; point-of-care automated analysis and report, unilateral or bilateral
99421	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 5-10 minutes
99422	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 11-20 minutes
99423	Online digital evaluation and management service, for an established patient, for up to 7 days, cumulative time during the 7 days; 21 or more minutes
99451	Interprofessional telephone/internet/electronic health record assessment and management service provided by a consultative physician, including a written report to the patient's treating/requesting physician, 5 minutes or more of medical consultative time.
99452	Interprofessional telephone/internet/electronic health record referral service(s) provided by a treating/requesting physician or other qualified health care professional, 30 minutes.
G2010	Remote evaluation of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment

Modifier	e		
FR	Supervising practitioner present through two-way, audio and video communication.		
GT	Via interactive audio and video telecommunication systems. Modifier GT is only for use with those services provided via synchronous telemedicine for which modifier 95 cannot be used.		
GQ	Via an asynchronous telecommunications system. Medical care provided by images and video that was not provided in real-time		
GY	Notice of Liability Not Issued, Not Required Under Payer Policy. Used to report that an Advanced Beneficiary Notice (ABN) was not issued because item or service is statutorily excluded or does not meet definition of any Medicare benefit.		
95*	Synchronous telemedicine service rendered via real-time interactive audio and video telecommunication system.		
Place of	Service		
02	Telehealth provided other than in patient's home		
10	Telehealth provided in patient's home		
11	Office		



The use of specific modifier and place of service combinations, defined by state Medicaid or managed care programs, are to be followed when submitting claims to Versant Health. Telehealth coverage and the required coding should be verified with all carriers.

DISCLAIMER and COPYRIGHTS

This clinical policy is provided for information purposes only and does not constitute medical advice. Versant Health, Inc., and its affiliates (the "Company") do not provide health care services and cannot guarantee any results or outcomes. Treating doctors are solely responsible for determining what services or treatments to provide to their patients. Patients (members) should always consult their doctor before making any decisions about medical care.

Subject to applicable law, compliance with this clinical policy is not a guarantee of coverage or payment. Coverage is based on the terms of an individual's particular benefit plan document, which may not cover the service(s) or procedure(s) addressed in this clinical policy. The terms of the individual's specific benefit plan are always determinative. Every effort has been made to ensure that the information in this clinical policy is accurate and complete, however the Company does not guarantee that there are no errors in this policy or that the display of this file on a website is without error. The company and its employees are not liable for any errors, omissions, or other inaccuracies in the information, product, or processes disclosed herein. Neither the Company nor the employees represent that use of such information, products, or processes will infringe on privately owned rights. In no event shall the Company be liable for direct, indirect, special, incidental, or consequential damages arising out of the use of such information, product, or process.

COMPANY'S COPYRIGHT STATEMENT

Except for any copyrights described below, this clinical policy is confidential and proprietary, and no part of this clinical policy may be copied without Versant Health, or its applicable affiliates, expressing prior written approval.

AMA COPYRIGHT STATEMENT

CPT® 2002-2023 is the copyright of the American Medical Association. All Rights Reserved. CPT™ is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.



RELATED POLIC	CIES
1316	Eye Exam

Approval Date	Revision	Effective Date
06/12/2019	Initial version	06/12/2019
07/25/2019	Combined with telemedicine statement (archived)	08/01/2019
12/18/2019	Update CMS driven codes released and deleted; addition of eye E/M codes; no criteria change	01/01/2020
06/03/2020	Criteria change; addition of CPT codes and modifiers	08/01/2020
04/07/2021	Annual review; removal of CMS deleted CPT code 99201.	07/01/2021
01/05/2022	Added and deleted CPT codes to align with current CMS rulings on telehealth.	07/01/2022
04/06/2022	Administrative change to modifiers	07/01/2022
07/06/2022	Administrative change to modifiers and place of service codes	10/01/2022
07/12/2023	Removal of procedure codes allowed only during public health emergency, Covid-19; add codes Q3014, T1015 delete modifier 93, clarify modifier 95 for use with all providers, all sites including federal access CAH FQHC RHC.	10/01/2023

REFERENCES AND SOURCES

- 1. Barnett ML. Ray KN, Souza J, et.al., Trends in Telemedicine Use in a Large Commercially Insured Population, 2005-2017, JAMA 2018; 320(20):2147-2149.
- 2. Blais N, Tousignant B, Hanssens JM. Tele-refraction in tele-eye care settings. Clin Exp Optom. 2022 Aug;105(6):573-581. doi: 10.1080/08164622.2021.2009736. Epub 2022 Jan 30. PMID: 35094668.
- 3. Burke BL Jr, Hall RW; Section on Telehealth Care. Telemedicine: Pediatric Applications. Pediatrics. 2015 Jul;136(1): e293-308. doi: 10.1542/peds.2015-1517. PMID: 26122813; PMCID: PMC5754191.



- Chaet D, Clearfield R, Sabin JE, Skimming K; Council on Ethical and Judicial Affairs American Medical Association. Ethical practice in Telehealth and Telemedicine. J Gen Intern Med. 2017 Oct;32(10):1136-1140. doi: 10.1007/s11606-017-4082-2. Epub 2017 Jun 26. PMID: 28653233; PMCID: PMC5602756.
- 5. Clark PA, Capuzzi K, Harrison J. Telemedicine: medical, legal and ethical perspectives. Med Sci Monit. 2010 Dec;16(12):RA261-72. PMID: 21119593.
- 6. Curtis R, Hazari H, Eden K, et al. Validation of a portable, remotely delivered refraction approach compared to standard in-clinic refraction in a low-vision population. J Telemed Telecare. 2022 Oct;28(9):662-669. doi: 10.1177/1357633X20960628. Epub 2020 Sep 26. PMID: 32985381.
- 7. de la Torre-Díez I, López-Coronado M, Vaca C, Aguado JS, de Castro C. Cost-utility and cost-effectiveness studies of telemedicine, electronic, and mobile health systems in the literature: a systematic review. Telemed J E Health. 2015 Feb;21(2):81-5. doi: 10.1089/tmj.2014.0053. Epub 2014 Dec 4. PMID: 25474190; PMCID: PMC4312789.
- 8. Dorsey ER, Topol EJ, State of Telehealth, N Engl J Med, 2016; Vol 375;154-161.
- 9. Ekeland AG, Bowes A, Flottorp S. Effectiveness of telemedicine: a systematic review of reviews. Int J Med Inform. 2010 Nov;79(11):736-71. doi: 10.1016/j.ijmedinf.2010.08.006. PMID: 20884286.
- 10. Freed J, Lowe C, Flodgren G, Binks R, Doughty K, Kolsi J. Telemedicine: Is it worth it? A perspective from evidence and experience. J Innov Health Inform. 2018 Mar 15;25(1):14-18. doi: 10.14236/jhi. v25i1.957. PMID: 29717950.
- 11. Galiero R, Pafundi PC, Nevola R, et al. The Importance of Telemedicine during COVID-19 Pandemic: A Focus on Diabetic Retinopathy. J Diabetes Res. 2020 Oct 14; 2020:9036847. doi: 10.1155/2020/9036847. PMID: 33123599; PMCID: PMC7584941.
- 12. Hark LA. Katz LJ, Myers JS, et.al, Philadelphia Telemedicine Glaucoma Detection and Follow up Study: Methods and Screening Results, American J Ophthal, Vol 181,114-124.
- 13. Holekamp NM, Moving from Clinic to Home: What the Future Holds for Ophthalmic Telemedicine, American J Ophthal vol 187, xxviii-xxxv, published online November 11, 2017.
- 14. Hyder MA, Razzak J. Telemedicine in the United States: An Introduction for Students and Residents. J Med Internet Res. 2020 Nov 24;22(11): e20839. doi: 10.2196/20839. PMID: 33215999; PMCID: PMC7690251.
- 15. Jani PD, Forbes BS, Choudhury AC, et.al., Evaluation of Diabetic Retinal Screening and Factors for Ophthalmology Referral in a Telemedicine Network, JAMA Ophthal, 2017; 135(7) 706-714.
- Jumreornvong O, Yang E, Race J, Appel J. Telemedicine and Medical Education in the Age of COVID-19. Acad Med. 2020 Dec;95(12):1838-1843. doi: 10.1097/ACM.000000000003711.
 PMID: 32889946; PMCID: PMC7489227.
- 17. Kahn JM, Virtual Visits-Confronting the Challenges of Telemedicine, N Engl J Med, 2015, Vol 372, 1684-1685.
- 18. Kaplan B. Revisiting Health Information Technology Ethical, Legal, and Social Issues and Evaluation: Telehealth/Telemedicine and COVID-19. Int J Med Inform. 2020 Nov; 143:104239. doi: 10.1016/j.ijmedinf.2020.104239. Epub 2020 Jul 31. PMID: 33152653; PMCID: PMC7831568.
- 19. Lee O, P. FDA Workshop on Digital Eye Care October 23, 2017.



- Maa AY. Wojciechowski B, Hunt KJ, et.al., Early Experience with Technology-Based Eye Care Services (TECS): A Novel Ophthalmologic Telemedicine Initiative, Ophthalmology, Vol 124, 4, 539-546.
- 21. Modjtahedi BS. Theophanous C, Chiu S, et.al., Two Year Incidence of Retinal Intervention in Patients with Minimal or no Diabetic Retinopathy on Telemedicine Screening, JAMA Ophthal 2019 doi: 10.1001.
- 22. Morse Alan R, Telemedicine in Ophthalmology: Promise and Pitfalls, Ophthalmology, Vol 121, 4, 809-811.
- 23. Newton MJ. The promise of telemedicine. Surv Ophthalmol. 2014 Sep-Oct;59(5):559-67. doi: 10.1016/j.survophthal.2014.02.003. Epub 2014 Feb 18. PMID: 25130894.
- 24. Nguyen HV, Tan GS, Tapp RJ, et.al. Cost-effectiveness of a National Telemedicine Diabetic Retinopathy Screening Program in Singapore. Ophthalmology. 2016 Dec;123(12):2571-2580. doi: 10.1016/j.ophtha.2016.08.021. Epub 2016 Oct 7. PMID: 27726962.
- 25. Price S. Making Telemedicine Work. Tex Med. 2019 Aug 1;115(8):26-29. PMID: 31369135.
- Richter GM, Williams SL, Starren J, Flynn JT, Chiang MF. Telemedicine for retinopathy of prematurity diagnosis: evaluation and challenges. Surv Ophthalmol. 2009 Nov-Dec;54(6):671-85. doi: 10.1016/j.survophthal.2009.02.020. Epub 2009 Aug 8. PMID: 19665742; PMCID: PMC2760626.
- 27. Saleem SM, Pasquale LR, Sidoti PA, et al. Virtual Ophthalmology: Telemedicine in a COVID-19 Era. Am J Ophthalmol. 2020 Aug; 216:237-242. doi: 10.1016/j.ajo.2020.04.029. Epub 2020 Apr 30. PMID: 32360862; PMCID: PMC7191296.
- 28. Silva PS. Horton MB, Clary D, et.al., Identification of Diabetic Retinopathy and ungradable Image Rte. with Ultrawide Field imaging in a National Teleophthalmology Program, Ophthalmology, Vol 123,6, 1360-1367. 2018.
- 29. Sommer AC, Blumenthal EZ. Telemedicine in ophthalmology in view of the emerging COVID-19 outbreak. Graefes Arch Clin Exp Ophthalmol. 2020 Nov;258(11):2341-2352. doi: 10.1007/s00417-020-04879-2. Epub 2020 Aug 19. PMID: 32813110; PMCID: PMC7436071.
- 30. Ting DS, Gunasekeran DV, Wickham L, Wong TY. Next generation telemedicine platforms to screen and triage. Br J Ophthalmol. 2020 Mar;104(3):299-300. doi: 10.1136/bjophthalmol-2019-315066. Epub 2019 Dec 3. PMID: 31796427.
- 31. Tuckson RV. Edmunds M, Hodgkins ML. Telehealth, N Engl J Med 2017; Vol 377: 1585-1592. Waller M, Stotler C. Telemedicine: a Primer. Curr Allergy Asthma Rep. 2018 Aug 25;18(10):54. doi: 10.1007/s11882-018-0808-4. PMID: 30145709.
- 32. Weinstein RS, Krupinski EA, Doarn CR. Clinical Examination Component of Telemedicine, Telehealth, mHealth, and Connected Health Medical Practices. Med Clin North Am. 2018 May;102(3):533-544. doi: 10.1016/j.mcna.2018.01.002. PMID: 29650074.

SOURCES

- AAO Practice Management: "Coding for Telemedicine. January 2023.
 https://www.aao.org/practice-management/news-detail/coding-phone-calls-internet-telehealth-consult.

 Accessed 4/28/2023.
- AAO Position Statement Regarding Telemedicine in Optometry. Revised 2022. https://www.aoa.org/AOA/Documents/Advocacy/position%20statements/AOA_Policy_Telehealth.pdf . Accessed 5/22/2023.



- CMS Manual New Modifications to the Place of Service (POS) Codes for Telehealth. https://www.hhs.gov/guidance/sites/default/files/hhs-guidance-documents/R11437CP.pdf.

 Accessed 7/2023.
- 4. CMS Telehealth Dec 21, 2021. https://www.cms.gov/Medicare/Medicare-General-Information/Telehealth.
- 5. Center for Connected Health Policy; https://www.cchpca.org/2022/03/2022BillingGuidefinal.pdf. Accessed 6/24/2022.
- 6. Telehealth for Providers https://telehealth.hhs.gov/providers/. Accessed 6/24/2021.