

Policy Name	Clinical Policy - Vision Therapy and Orthoptics
Policy Number	1337.00
Department	Clinical Product & Development
Subcategory	Medical Management
Original Approval Date	10/18/2019
Current MPC/CCO Approval Date	07/10/2024
Current Effective Date	10/01/2024

Company Entities Supported (Select All that Apply):

☒ Superior Vision Benefit Management
☒ Superior Vision Services
☒ Superior Vision of New Jersey, Inc.
☒ Block Vision of Texas, Inc. d/b/a Superior Vision of Texas
☒ Davis Vision
 (Collectively referred to as 'Versant Health' or 'the Company')

ACRONYMS and DEFINITIONS

n/a

PURPOSE

To provide the medical necessity criteria to support the indication(s) for vision therapy and orthoptic services. Applicable procedure codes are also defined.

POLICY
A. Background

Vision therapy¹ is defined as a series of structured exercises whose goal is to improve ocular alignment. Orthoptics, from the Greek roots "straight eyes" is the medical discipline that studies, instructs and refines these exercises.

Vision therapy is further embraced as behavioral optometry, a subsection of optometry that has advanced the concept of vision therapy for treating dyslexia and learning disabilities. The behavioral vision therapy framework includes the concepts of visuospatial deficits,

¹ American Association for Pediatric Ophthalmology and Strabismus, 2023

perceptual visual deficits, visual information processing deficits, visual tracking deficits and similar concepts.

This clinical policy is based on the Joint Statement of the American Academy of Pediatrics, the American Academy of Ophthalmology, the American Association of Pediatric Ophthalmology and Strabismus, the American Society of Pediatric Ophthalmology and Strabismus, and the American Society of Certified Orthoptists. Originating in 2008, this statement was reaffirmed in 2022.² It states: There is insufficient evidence to recommend in-office vision therapy for the management of other types of strabismus, amblyopia, or learning disability in the pediatric population. Good evidence remains for certain forms of vision therapy in children³ and adults with convergence insufficiency.

B. Medically Necessary

Versant Health considers vision therapy and orthoptics medically necessary for the treatment of convergence insufficiency. Twelve (12) sessions of treatment are considered medically necessary to transition patients from in office training to independent home exercises. Additional medical review is required if the treatment plan extends beyond 12 sessions.

C. Not Medically Necessary

1. All other indications for vision therapy have insufficient evidence to support medical efficacy. These include, but are not limited to:
 - a. Dyslexia
 - b. Learning disabilities
 - c. Traumatic brain injury
 - d. Developmental delay
 - e. Visuospatial deficits
 - f. Perceptual visual deficits
 - g. Tracking visual deficits and visual information processing deficits
2. The CPT 96000 series codes evaluating developmental, psychological, neuro-psychological, and behavioral status are not medically necessary services for the treatment of convergence insufficiency.
3. The CPT 97000 series codes (Physical Medicine, Occupational Therapy and Rehabilitation) are not medically necessary services for the treatment of convergence insufficiency.

D. Documentation

Medical necessity is supported by adequate and complete documentation in the beneficiary's medical record that describes the procedure and the medical rationale and

² Wang, 2022.

³ Scheiman, 2010.

requires all the following documentation. For retrospective review a complete operative and/or medical care plan is required.

Every page of the record must be legible and include appropriate patient identification information (e.g., complete name, date(s) of service).

The following documentation is required to support the medical necessity of vision therapy or orthoptics:

1. Eye exam with description of medical justification for vision therapy and orthoptics
2. Allied diagnostic testing with physician's order, medical rationale, findings, interpretation, and report.
3. For medical review purposes, services provided/ordered must be authenticated by the author. The method used shall be handwritten or electronic signature. Stamped signatures are not acceptable.
4. Treatments for convergence insufficiency using either CPT code 92065 or 92066 may be medically necessary for 12 sessions of therapy, after which the patient is expected to transition to independent home based exercises.

E. Procedural Detail

CPT Codes	
92065	Orthoptic and pleoptic training, with continuing medical direction and evaluation.
92066	Orthoptic training; under supervision of a physician or other qualified health care professional.
Invalid Codes	
96000-96117	Codes evaluating developmental, psychological, neuro-psychological, and behavioral status are not medically necessary services for vision therapy and orthoptics.
97001-97006	Physical Medicine, Physical Therapy and Occupational Therapy are not medically necessary services for vision therapy and orthoptics.

DISCLAIMERS and COPYRIGHTS

This clinical policy is provided for information purposes only and does not constitute medical advice. Versant Health, Inc., and its affiliates (the "Company") do not provide health care services and cannot guarantee any results or outcomes. Treating doctors are solely responsible for determining what services or treatments to provide to their patients. Patients (members) should always consult their doctor before making any decisions about medical care.

Subject to applicable law, compliance with this clinical policy is not a guarantee of coverage or payment. Coverage is based on the terms of an individual's particular benefit plan document, which may not cover the service(s) or procedure(s) addressed in this clinical policy. The terms of the individual's specific benefit plan are always determinative. Every effort has been made to ensure that the information in this clinical policy is accurate and complete, however the

Company does not guarantee that there are no errors in this policy or that the display of this file on a website is without error. The company and its employees are not liable for any errors, omissions, or other inaccuracies in the information, product, or processes disclosed herein. Neither the Company nor the employees represent that the use of such information, products, or processes will not infringe on privately owned rights. In no event shall the Company be liable for direct, indirect, special, incidental, or consequential damages arising out of the use of such information, product, or process.

COMPANY'S COPYRIGHT STATEMENT Except for any copyrights described below, this clinical policy is confidential and proprietary, and no part of this clinical policy may be copied or distributed without Versant Health, or its applicable affiliates, expressing prior written approval.

AMA COPYRIGHT STATEMENT CPT© 2002-2024 is the copyright of the American Medical Association. All Rights Reserved. CPT™ is a registered trademark of the American Medical Association. Applicable FARS/DFARS Apply to Government Use. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

RELATED POLICIES	
1318	Low Vision Evaluation and Rehabilitation

DOCUMENT HISTORY		
<i>Approval Date</i>	<i>Revision</i>	<i>Effective Date</i>
10/18/2019	Initial policy	01/01/2020
08/19/2020	Removal of 92060 and addition of E/M code requirement.	01/01/2021
07/07/2021	Limit indications to convergence insufficiency; remove discussion of esotropia and amblyopia; removed coding instructions for evaluation exam; clarify that 12 visits includes patient training for independent exercises; remove discussion of home therapy.	01/01/2022
07/06/2022	Annual review; no criteria changes.	10/01/2022
07/12/2023	Add CPT code 92066; no criteria changes.	10/01/2023
07/10/2024	Annual review; no criteria changes.	10/01/2024

REFERENCES AND SOURCES

1. Alvarez TL, Scheiman M, Santos EM, et al. Clinical and Functional Imaging Changes Induced from Vision Therapy in Patients with Convergence Insufficiency. *Conf Proc IEEE Eng Med Biol Soc.* 2019; 2019:104-109. doi:10.1109/EMBC.2019.8857163.
2. Alvarez TL, Vicci VR, Alkan Y, et al. Vision therapy in adults with convergence insufficiency: clinical and functional magnetic resonance imaging measures. *Optom Vis Sci.* 2010;87(12): E985-E1002. doi:10.1097/OPX.0b013e3181fef1aa.
3. Balke M, Skjöld G, Lundmark PO. Comparison of Short-Term Effects of Treatment of Accommodative Infacility with Low Plus Addition in Single Vision Rx or Vision Therapy: A Pilot Study. *Clin Optom (Auckl).* 2022 Jun 2; 14:83-92. doi: 10.2147/OPTO.S355508. PMID: 35677714; PMCID: PMC9169973.
4. Barrett BT. A critical evaluation of the evidence supporting the practice of behavioral vision therapy. *Ophthalmic Physiol Opt.* 2009;29(1):4-25. doi:10.1111/j.1475-1313.2008.00607.x.
5. Caputo R, Febbrini del Magro E, Amoaku WM, Bacci GM, et.al. The efficacy of biofeedback visual rehabilitation therapy in patients with infantile nystagmus syndrome: A retrospective study. *European Journal of Ophthalmology.* 2021;31(4):2101-2106. doi:10.1177/1120672120940981.
6. Convergence Insufficiency Treatment Trial Study Group. Randomized clinical trial of treatments for symptomatic convergence insufficiency in children. *Arch Ophthalmol.* 2008 Oct;126(10):1336-49. doi: 10.1001/archophth.126.10.1336. PMID: 18852411; PMCID: PMC2779032.
7. Creavin AL, Lingam R, Steer C, et.al. Ophthalmic abnormalities and reading Disabilities for the American Academy of Pediatrics, American Academy of Ophthalmology, American Association of Pediatric Ophthalmology and Strabismus, & American Association of Certified Orthoptists. Learning disabilities, dyslexia, and vision. *Pediatrics.* 2011; 127(3): e818–56.
8. Helveston EM, Perspective-Vision Training: Current Status in Ophthalmology, Am J impairment. *Pediatrics.* 2015;135(6):1057–65.
9. Jennings AJ. Behavioral optometry: a critical review. *Optom Pract.* 2000; 1(2):67–78.
10. Lambert J. Vision therapy and computer orthoptics: evidence-based approach to use in your practice. *Am Orthopt J.* 2013; 63:32-35. doi: 10.3368/aoj.63.1.32. PMID: 24260806.
11. Ma MM, Kang Y, Scheiman M, et.al. Office-based vergence and anti-suppression therapy for the treatment of small-to-moderate angle intermittent exotropia: A randomised clinical trial. *Ophthalmic Physiol Opt.* 2024 Mar;44(2):356-377. doi: 10.1111/opo.13264. Epub 2023 Dec 26. PMID: 38146812.
12. McGregor ML. Convergence insufficiency and vision therapy. *Pediatr Clin North Am.* 2014;61(3):621-630. doi: 10.1016/j.pcl.2014.03.010.
13. Rucker JC, Phillips PH. Efferent Vision Therapy. *J Neuroophthalmol.* 2018 Jun;38(2):230-236. doi: 10.1097/WNO.0000000000000480. PMID: 28059865.
14. Scheiman, M.; Cotter, S.; Rouse, M.; et.al. Randomised clinical trial of the effectiveness of base-in prism reading glasses versus placebo reading glasses for symptomatic convergence insufficiency in children. *Br. J. Ophthalmol.* 2005, 89, 1318–1323.
15. Scheiman M, Kulp MT, Cotter S, et al. Vision therapy/orthoptics for symptomatic convergence insufficiency in children: treatment kinetics. *Optom Vis Sci.* 2010;87(8):593-603. doi: 10.1097/OPX.0b013e3181e61bad.

16. Shin HS, Park SC, Maples WC. Effectiveness of vision therapy for convergence dysfunctions and long-term stability after vision therapy. *Ophthalmic Physiol Opt.* 2011;31(2):180-189. doi:10.1111/j.1475-1313.2011.00821.x.
17. Singh NK, Mani R, Hussaindeen JR. Changes in stimulus and response AC/A ratio with vision therapy in Convergence Insufficiency. *J Optom.* 2017;10(3):169-175. doi: 10.1016/j.optom.2016.10.001.
18. Trieu LH, Lavrich JB. Current concepts in convergence insufficiency. *Curr Opin Ophthalmol.* 2018 Sep;29(5):401-406. doi: 10.1097/ICU.0000000000000502. PMID: 29994854.
19. Wang, B.; Kuwera, E. Vision Therapy: A Primer and Caution for Pediatricians. *Children* 2022, 9, 1873. <https://doi.org/10.3390/children9121873>.

SOURCES

1. AAO PPP Vision Rehabilitation Committee, Hoskins Center for Quality Eye Care 2022. <https://www.aao.org/education/preferred-practice-pattern/vision-rehabilitation-ppp-2022>. Accessed 4/2024
2. American Association for Pediatric Ophthalmology and Strabismus, 2023. "What is Vision Therapy?" <https://tinyurl.com/AAPOS-2023>. Accessed 4/2024.
3. American Association of Certified Orthoptists, 2024. "Conditions treated by Orthoptics." <https://tinyurl.com/AAPOS-2023>. Accessed 4/2024.
4. American Optometric Association. Vision Therapy and neurorehabilitation: Third Party Reimbursement. Jan. 2024. <https://tinyurl.com/AOA-Vision-Therapy>. Accessed 4/2024.
5. American Optometric Association (AOA). Clinical practice guidelines. Care of the patient with accommodative and vergence dysfunction. <https://tinyurl.com/AOA-accomodative>. Revised December 2010. Accessed 4/2024.

